

## Demand Calculation Sheet

### Job Details

Name: Tekapo (Tekapo 2)  
 Street and Number: Lot 56, 60, 65 & 70 Stage 2 Kelson Heights  
 Lot and DP Number: Lot 56, 60, 65 & 70 DP TBC  
 City/Town/District: Lower Hutt  
 Designer: E Horner  
 Company: Prime Designs  
 Date: Tuesday, 9 November 2021

### Building Specification

Number of Storeys: 1  
 Floor Loading: 2 kPa  
 Foundation Type: Slab

These documents must be retained on site. Inspections may not be carried out if they are not.

**Single**  
 Cladding Weight: Light  
 Roof Weight: Light  
 Room in Roof Space: No  
 Roof Pitch (degrees): 25  
 Roof Height above Eaves (m): 2.6  
 Building Height to Apex (m): 5.0  
 Ground to Lower Floor (m): 0.2

Average Stud Height (m): 2.4  
 Building Length (m): 16.87  
 Building Width (m): 10.30  
 Building Plan Area (m<sup>2</sup>): 155.18

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



### Building Location

**Wind Zone = High**

**Earthquake Zone 3**

Soil Type: D & E (Deep to Very Soft)  
 Annual Prob. of Exceedance: 1 in 500 ( Default)

### Bracing Units required for Wind

	Along	Across
Single Level	552	923

### Bracing Units required for Earthquake

	Along & Across
Single Level	821



## Single Level Along Resistance Sheet

Job Name: Tekapo (Tekapo 2)

									Wind	EQ
									Demand	
									552	821
									Achieved	
Line	Element	Length (m)	Angle (degrees)	Stud Ht. (m)	Type	Supplier	Wind (BUs)	EQ (BUs)	1369 248%	1217 148%
a	1	0.40		2.4	GS1-N	GIB®	21	23		
	2	1.04		2.4	GS1-N	GIB®	68	62		
	3	0.50		2.4	GS1-N	GIB®	28	29		
	4	0.90		2.4	GS1-N	GIB®	57	53		
	5	1.91		2.4	GS1-N	GIB®	132	115		
External Length = 14.87									306 OK	282 OK
b	1	1.92		2.4	GS1-N	GIB®	132	115		
	2	2.40		2.4	GS1-N	GIB®	166	144		
External Length = 1.58									298 OK	259 OK
c	1	2.00		2.4	GS1-N	GIB®	138	120		
	2	3.59		2.4	GS1-N	GIB®	248	215		
External Length = 2.98									386 OK	335 OK
d	1	0.85		2.4	GS1-N	GIB®	53	50		
	2	1.44		2.4	GS1-N	GIB®	99	86		
	3	0.50		2.4	GS1-N	GIB®	28	29		
	4	2.90		2.4	GS1-N	GIB®	200	174		
External Length = 16.87									380 OK	340 OK

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**





## Single Level Across Resistance Sheet

Job Name: Tekapo (Tekapo 2)

									Wind	EQ
									Demand	
									923	821
									Achieved	
Line	Element	Length (m)	Angle (degrees)	Stud Ht. (m)	Type	Supplier	Wind (BUs)	EQ (BUs)	1208 131%	1106 135%
m	1	0.50		2.4	GS1-N	GIB®	28	29		
	2	1.53		2.4	GS1-N	GIB®	106	92		
	3	0.90		2.4	GS1-N	GIB®	57	53		
	External Length = 9.82								190 OK	174 OK
n	1	4.43		2.4	GS1-N	GIB®	306	266		
	2	3.02		2.4	GS1-N	GIB®	208	181		
									514 OK	447 OK
o	1	0.90		2.4	GS1-N	GIB®	57	53		
	2	1.93		2.4	GS1-N	GIB®	133	116		
	External Length = 0.48								190 OK	169 OK
p	1	1.93		2.4	GS1-N	GIB®	133	116		
									133 OK	116 OK
q	1	0.40		2.4	BLP-H	GIB®	48	54		
	2	0.40		2.4	BLP-H	GIB®	48	54		
	3	0.46		2.4	BL1-H	GIB®	42	46		
	4	0.46		2.4	BL1-H	GIB®	42	46		
	External Length = 10.30								181 OK	200 OK

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**





## Custom Wall Elements

Supplier	System	Min. Length m	Wind BUs/m	EQ BUs/m
CHH	EP1 0.4	0.4	80	95
CHH	EP1 0.6	0.6	95	105
CHH	EP1 1.2	1.2	120	135

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**





For valley/saddle truss fixing unless stated otherwise use a pair of wire dogs at 900mm centres for up to and including a very high wind zone. Or a pair of CT200's at 900mm centres for extra high wind zone. This fixing is to meet the minimum requirements as per NZS3604.


# CARTERS

**Your**  
**Building Partner**



**GRANTED**  
**17/05/2022**

## HUTT CITY COUNCIL



Fixings shown are for fixing trusses to the top plate. Any other point load uplift fixings down through the framing stud to top plate, stud to bottom plate, bottom plate to floor remain the responsibility of the architect / draughtsman.

If a gable truss requires a windbeam brace, the type of MiTek brace will be noted as such on the layout.


## Truss Layout



BUILDABLE CONSENT  
LAYOUT

Internal Load Bearing Wall

Beams



CARTERS  
Wellington Manufacturing  
(04) 5670287

JOB No 358595C1

Client: DMAC Homes Ltd T/A Friday Homes  
Job: New House-Tekapo 2  
Site: 64 Waipounamu Drive (Tekapo 2)  
Kelson  
Lower Hutt

Pitch: 25.0deg  
Roof Type: Metal Tiles  
Overhang: 450mm  
Wind Area: High  
Roof Snow: 0.000kPa

Trusses and rafters at 900 mm  
max centres unless stated otherwise.  
This layout is to be read in conjunction  
with the Architectural plans.

DRAWN Reshma15 Dec,2021

Downward arrow

Dn

kN

Upward arrow

Up

kN

Ultimate Limit  
State Loads

Notification of point loaded lintels  
or point loads on internal walls  
where the downward load is  
higher than 8kN (85mm raft type slab)  
or 10kN (100mm standard slab), or  
the upward load is greater than 10kN.

Any roof loads as stated on this  
layout over 16kN up or down are  
outside the scope of NZS3604, and  
the architect / draughtsperson is  
responsible for the design to transfer  
the loads to the ground.

The lintels have been sized using  
one of the following:  
  
hy90, hyONE and hySPAN lintels  
have been sized using the designIT  
for houses - New Zealand series 6  
software.  
  
GANGLAM and FLITCH BEAMS  
have been sized using the MiTek  
Beam Program V1.10 June 2011.

Unless otherwise stated the timber grade  
for all lintels is SG8. Lintels not shown  
are to be selected as per NZS3604: 2011.

All internal walls shown hatched on this layout are considered to be loadbearing  
Lintel fixing specification remains the responsibility of the architect / draughtsperson





Correspondence from : **AUCKLAND**  
40 Neales Road, East Tamaki 2013  
PO Box 58-014, Botany 2163  
Phone: 09 274 7109  
Fax: 09 274 7100

**CHRISTCHURCH**  
14 Pilkington Way, Wigram 8042  
PO Box 8387, Riccarton 8440  
Phone: 03 348 8691  
Fax: 03 348 0314

[www.mitek.nz.co.nz](http://www.mitek.nz.co.nz)

MiTek 20/20 Engineering 4.7.346.0

Printed: 10:59:12 16 Dec 2021

## PRODUCER STATEMENT for MiTek 20/20® TRUSS DESIGN - Version 4.7

ISSUED BY: MiTek New Zealand Limited

TO: CARTERS

IN RESPECT OF: MiTek® Truss Designs

This producer statement covers the MiTek 20/20® truss design and the structural performance of the GANG-NAIL® connector plate for the job reference **358595C1** and may be used by a Building Consent Authority to assist in determining compliance with the New Zealand Building Code.

The MiTek 20/20® truss design program has been developed by MiTek New Zealand Limited for the design of MiTek® timber roof, floor and attic trusses in New Zealand. The truss designs computed by MiTek 20/20® are prepared using sound and widely accepted engineering principles, and in accordance with compliance documents of the New Zealand Building Code and Verification Method B1/VM1; and internationally accepted standard ANSI/TPI 1 - 2002 as an alternative solution, to satisfy the requirements of Clause B1 of the New Zealand Building Code.

On behalf of MiTek New Zealand Limited, and subject to:

- i) All proprietary products meeting their performance specification requirements
- ii) The provision of adequate roof bracing and overall building stability
- iii) Correct selection and placement of GANG-NAIL connector plates
- iv) Correct input of Truss Design Data as shown in the Fabricator Design Statement for this job
- v) The design being undertaken by the accredited fabricator under the terms of the software licence
- vi) Timber is graded to the requirements of NZS 3603:1993
- vii) Minimum timber treatment for these MiTek® trusses shall be in accordance with B2/AS1 Table 1A and the relevant sections of NZS 3602:2003

I believe on reasonable grounds that the trusses, if constructed in accordance with the MiTek 20/20® truss design and shop drawings, will comply with the relevant provisions of the New Zealand Building Code.

MiTek New Zealand Limited holds a current policy of Professional Indemnity Insurance no less than \$500,000.

On behalf of MiTek New Zealand Limited,

Date: Thursday, 16 December 2021

In Ling Ng, BE (Hons), CPEng, IntPE, MIPENZ (ID: 146585)  
TECHNICAL SERVICES MANAGER, MiTek New Zealand Limited

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**





Job: 358595C1

Client: DMAC Homes Ltd T/A Friday Homes  
Phone:Site: New House-Tekapo 2  
64 Waipounamu Drive (Tekapo 2)  
Kelson  
Lower HuttDescription:  
Building Consent No.:  
MiTek 20/20 Engineering 4.7.346.0

Phone:

Printed: 10:59:12 16 Dec 2021

**MITEK FABRICATOR DESIGN STATEMENT**

This statement is issued by MiTek accredited fabricator **CARTERS**, being licensed to use the MiTek 20/20® software, to the client listed above and may be used by the Building Consent Authority to assist in determining compliance with the New Zealand Building Code.

**MiTek 20/20® TRUSS DESIGN DATA**

The MiTek 20/20® computer design for this job is based on the following design parameters entered into the program. The Fabricator shall ensure that these job details are current and relevant to the project for the design of the MiTek® trusses.

<b>Job Details</b>		Importance Level :	2	Design Working Life :	50 years
<b>Roof Truss</b>					
Timber Group:	MSG8 DDP H1.2	Pitch:	25.000 deg	Nominal Overhang:	450 mm
<b>Roof</b>		<b>Ceiling</b>		<b>Wind</b>	
Material:	Metal Tiles	Material:	Gib 13mm/Rondo Screwed	Area:	High (44.0 m/s )
Dead Load:	0.210 kPa	Dead Load:	0.200 kPa	Pressure Coeff:	Cpe = varies; Cpi = -0.30, 0.20
Restraints:	400 mm centres	Restraints:	600 mm centres		
Live Load:	Q <sub>ur</sub> = 0.250 kPa	Live Load:	Q <sub>c</sub> = 1.400 kN		
	Q <sub>c</sub> = 1.100 kN				

The minimum timber treatment for these MiTek® trusses shall be in accordance with B2/AS1 Table 1A and the relevant sections of NZS 3602:2003. The timber for these MiTek® trusses shall be graded to the requirements of NZS 3603:1993. Proprietary fixings and timber connectors shall be selected in accordance with NZS3604:2011 Section 4 - Durability.

**MiTek® Truss List**

Legend: \* = detail only, ? = input only, Txx = failed design, Ø = non certified, Unmarked trusses = designed successfully, LB = lateral bracing required  
GB = gable brace required

Truss	Qty	Span (mm)	Pitch (deg)	Spacing (mm)	Truss	Qty	Span (mm)	Pitch (deg)	Spacing (mm)	Truss	Qty	Span (mm)	Pitch (deg)	Spacing (mm)
ET1	1	3309	25.000	900	*OR1	2	1305	0.000	900	J1B	2	2187	25.000	900
ET2	1	4670	25.000	900	*OR2	2	1305	0.000	900	J1E	1	2187	25.000	900
*FR1	1	4200	25.000	900	*R1	2	828	25.000	900	J2A	2	1287	25.000	900
*FR2	1	3470	25.000	900	*R2	2	1363	25.000	900	J3B	1	2722	25.000	900
*HB1	2	7526	18.249	900	*R3	1	669	25.000	900	J3C	1	2722	25.000	900
*HB2	2	5737	18.249	900	*R4	3	741	25.000	900	J4C	1	1822	25.000	900
*HB3	1	3655	18.249	900	T1	3	9820	25.000	900	J5A	1	3987	25.000	900
*HB4	1	4245	18.249	900	T4	3	6632	25.000	900	J7	1	3007	25.000	900
J1	2	2187	25.000	900	T5	1	3300	25.000	900	J1C	1	2187	25.000	900
J2	2	1287	25.000	900	T6	2	4510	25.000	644	J1D	1	2187	25.000	900
J3	2	2722	25.000	900	T7	1	3300	25.000	900	J3A	1	2722	25.000	900
J4	1	1822	25.000	900	TR1	1	9820	25.000	900	J7A	1	3007	25.000	900
J4A	1	1822	25.000	900	TR2	1	9820	25.000	900	TG1	1D	9820	25.000	900
J4B	1	1822	25.000	900	V1	1	2198	25.000	900	TG2	1	7290	25.000	900
J5	1	3987	25.000	900	V2	1	1298	25.000	900	TG3	1	6633	25.000	900
J6	1	3300	25.000	900	V3	1	785	25.000	900	T3	1	7290	25.000	900
J8	1	3300	25.000	900	J1A	2	2187	25.000	900	T2	1D	9820	25.000	900

Total quantity : 70

The computer design input has been carried out by:

MiTek 20/20 Software Operator: Reshma

MiTek Candidate Number and Qualifications: Ravindranath

Accredited Fabricator:

**BUILDING CONSENT****GRANTED**  
**17/05/2022****HUTT CITY COUNCIL**

Thursday, 16 December 2021





## DESIGN CERTIFICATE

Technical basis for structural design methodology contained in designIT for houses - New Zealand.

designIT for houses, New Zealand has been developed by experienced timber engineers to assist designers in selecting appropriate sizes of structural laminated veneer lumber products manufactured by Carter Holt Harvey LVL Limited (including hySPAN, hy90, hyONE and hyJOIST) and other generic stress grades of timber, to be used as structural elements for the construction of buildings that fall within the scope of NZS 3604.

The design methodology used for the software complies with the loading and general design requirements contained within AS/NZS 1170 and with timber structural design in accordance with NZS 3603:1993 including Amendment 4 (Verification method B1/VM1, 6.1).

designIT relies on the accurate input of span and loading information by the user. Where accurate inputs are submitted the product and/or stress grade and the size given will comply with the structural requirements of the New Zealand Building Code (NZBC), provided the installation is in accordance with the installation requirements provided by designIT and/or in product literature and/or NZS 3604, or specific engineering design, as appropriate.

Futurebuild LVL and SG8 components, when used and treated to the required treatment levels prescribed in NZS 3602 and NZS 3604, as modified by Acceptable Solution B2/AS1, will comply with the requirements of the NZBC (Acceptable Solution B2/AS1, 3.2).

### References:

1. NZS 3603:1993 Timber Structures Standard.
2. NZS 3604:2011 Timber-framed buildings.
3. AS/NZS 1170:2002 Structural design actions, Parts 0 and 1.
4. AS/NZS 1170:2011 Structural design actions, Part 2: Wind actions.
5. AS/NZS 1170:2003 Structural design actions, Part 3: Snow and ice actions.
6. AS 1720.1:2010 Timber structures. Part 1: Design methods.
7. AS 1720.3:2016 Timber structures. Part 3: Design criteria for timber-framed residential buildings.

This Design Certificate, and any associated warranty/certification, is void where there has been substitution of alternate products not detailed within the Member Specification.

Version date: 5 October 2021

For further information or advice contact:

Carter Holt Harvey LVL Limited,  
173 Captain Springs Road, Onehunga. Auckland  
Telephone: 0800 808 131  
Email: [designit@futurebuild.co.nz](mailto:designit@futurebuild.co.nz)  
Web: <https://futurebuild.co.nz/>

### Specifier details:

<b>Specifier:</b>	Reshma Ravindranath
<b>Business name:</b>	Carters Manufacturing Wellington
<b>Address:</b>	Lower Hutt
<b>Email:</b>	<a href="mailto:reshma.ravindranath@carters.co.nz">reshma.ravindranath@carters.co.nz</a>

### Project & site details:

<b>Project:</b>	New House - Tekapo 2
<b>Reference:</b>	358595C1
<b>Site address:</b>	64 Waipounamu Drive Kelson Lower Hutt
<b>For (owner/s):</b>	D.M.A.C Homes Ltd   T/A Friday Homes
<b>Design wind zone</b>	High
<b>Snow loading</b>	Design snow zone: N1, Altitude: 100 m (sub-alpine), Ground snow load, $S_g^{1,2} = 0.0 \text{ kPa}$

designIT does not include any allowance for the effects of drifting and sliding of snow.

Snow loads are applied to roofed over structures only, the design of exposed floors/decks are not covered by designIT.

## MEMBER DESIGN DETAILS

### Member 1

#### 1) Member code and description

EJ01 - Lintels - In single or upper storey load bearing walls

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



- 2) Date prepared 15 December 2021
- 3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	0.9 m
Roof load width 'RLW'	3.9 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	3.0 mm	1.3 mm (long term)	2.4
Live load - $\Psi_S Q$	3.6 mm	0.4 mm	9.2
Wind load - $W_s$	4.5 mm	1.2 mm	3.8

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-2.2
1.2G + 1.5Q	0.80	-3.4
1.2G + $W_u$ + $\Psi_c Q$	1.00	-4.8
0.9G + $W_u$	1.00	3.2

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

## Member 2

- 1) Member code and description EJ02 - Lintels - In single or upper storey load bearing walls

- 2) Date prepared 15 December 2021

- 3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	1.9 m
Roof load width 'RLW'	2.0 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 150 x 90 hy90
----------------------------	-------------------

BUILDING CONSENT

GRANTED  
17/05/2022

HUTT CITY COUNCIL



Material type

Structural Laminated Veneer Lumber to AS/NZS 4357

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	6.3 mm	1.2 mm (long term)	5.3
Live load - $\Psi_S Q$	7.6 mm	0.3 mm	22.3
Wind load - $W_s$	9.5 mm	1.0 mm	9.2

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup> End kN <sup>4</sup>
1.35G	0.60	-1.6
1.2G + 1.5Q	0.80	-2.4
1.2G + $W_u$ + $\Psi_c Q$	1.00	-3.4
0.9G + $W_u$	1.00	2.1

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports

# Member 3

## 1) Member code and description

EJ03 - Lintels - In single or upper storey load bearing walls

## 2) Date prepared

15 December 2021

## 3) Serviceability criteria

AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	0.9 m
Roof load width 'RLW'	2.0 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	3.0 mm	0.7 mm (long term)	4.6
Live load - $\Psi_S Q$	3.6 mm	0.2 mm	17.9
Wind load - $W_s$	4.5 mm	0.6 mm	7.4

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Limit States Design Reaction <sup>2,3</sup>
---

**BUILDING CONSENT**

**GRANTED**  
17/05/2022

**HUTT CITY COUNCIL**





Load case	$k_1^1$	End $kN^4$
1.35G	0.60	-1.1
1.2G + 1.5Q	0.80	-1.8
1.2G + $W_u$ + $\Psi_c Q$	1.00	-2.5
0.9G + $W_u$	1.00	1.6

#### 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

## Member 4

**1) Member code and description** EJ04 - Lintels - In single or upper storey load bearing walls

**2) Date prepared** 15 December 2021

**3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016

#### 4) Design inputs

Span	0.9 m
Roof load width 'RLW'	1.3 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

#### 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

#### 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	3.0 mm	0.4 mm (long term)	6.9
Live load - $\Psi_S Q$	3.6 mm	0.1 mm	27.6
Wind load - $W_s$	4.5 mm	0.4 mm	11.4

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

#### 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End $kN^4$
1.35G	0.60	-0.7
1.2G + 1.5Q	0.80	-1.2
1.2G + $W_u$ + $\Psi_c Q$	1.00	-1.6
0.9G + $W_u$	1.00	1.0

#### 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



## Member 5

1) Member code and description EJ05 - Lintels - In single or upper storey load bearing walls

2) Date prepared 15 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

### 4) Design inputs

Span 2.1 m  
Roof load width 'RLW' 5.9 m  
Roof type and mass Light roof and ceiling - 40 kg/m<sup>2</sup>  
Nominal wall thickness 90 mm

### 5) Member specification

Size, stress grade/product Use 200 x 90 hy90  
Material type Structural Laminated Veneer Lumber to AS/NZS 4357

### 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	7.0 mm	2.0 mm (long term)	3.5
Live load - $\Psi_S Q$	8.4 mm	0.6 mm	14.1
Wind load - $W_s$	10.5 mm	1.8 mm	5.8

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

### 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-4.5
1.2G + 1.5Q	0.80	-7.1
1.2G + $W_u$ + $\Psi_c Q$	1.00	-9.9
0.9G + $W_u$	1.00	6.4

### 8) Installation requirements

- Provide at least 30 mm bearing at end supports

## Member 6

1) Member code and description EJ06 - Lintels - In single or upper storey load bearing walls

2) Date prepared 15 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

### 4) Design inputs

Span 0.9 m  
Roof load width 'RLW' 5.9 m  
Roof type and mass Light roof and ceiling - 40 kg/m<sup>2</sup>  
Nominal wall thickness 90 mm

### 5) Member specification

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	3.0 mm	1.9 mm (long term)	1.6
Live load - $\Psi_S Q$	3.6 mm	0.6 mm	6.1
Wind load - $W_s$	4.5 mm	1.8 mm	2.5

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

		Limit States Design Reaction <sup>2,3</sup>
Load case	$k_1^1$	End kN <sup>4</sup>
1.35G	0.60	-3.3
1.2G + 1.5Q	0.80	-5.2
1.2G + $W_u$ + $\Psi_c Q$	1.00	-7.3
0.9G + $W_u$	1.00	4.8

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

# Member 7

1) Member code and description EJ07 - Lintels - In single or upper storey load bearing walls

2) Date prepared 15 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	0.9 m
Roof load width 'RLW'	1.3 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio
Long term load - G + $\Psi_L Q^*$	3.0 mm	0.4 mm (long term)	6.9
Live load - $\Psi_S Q$	3.6 mm	0.1 mm	27.6
Wind load - $W_s$	4.5 mm	0.4 mm	11.4

\*Critical serviceability load case

**BUILDING CONSENT**

**GRANTED**

**17/05/2022**

**HUTT CITY COUNCIL**



See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-0.7
1.2G + 1.5Q	0.80	-1.2
1.2G + $W_u$ + $\Psi_c Q$	1.00	-1.6
0.9G + $W_u$	1.00	1.0

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

# Member 8

**1) Member code and description** EJ08 - Lintels - In single or upper storey load bearing walls

**2) Date prepared** 16 December 2021

**3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	4.1 m
Roof load width 'RLW'	1.8 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 300 x 90 hy90
Material type	Structural Laminated Veneer Lumber to AS/NZS 4357

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	10.0 mm	3.5 mm (long term)	2.9
Live load - $\Psi_S Q$	15.0 mm	0.9 mm	16.9
Wind load - $W_s$	20.5 mm	2.7 mm	7.6

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-2.5
1.2G + 1.5Q	0.80	-3.7
1.2G + $W_u$ + $\Psi_c Q$	1.00	-5.1
0.9G + $W_u$	1.00	2.8

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



## Member 9

1) Member code and description EJ09 - Lintels - In single or upper storey load bearing walls

2) Date prepared 16 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

### 4) Design inputs

Span 2.5 m  
Roof load width 'RLW' 1.8 m  
Roof type and mass Light roof and ceiling - 40 kg/m<sup>2</sup>  
Nominal wall thickness 90 mm

### 5) Member specification

Size, stress grade/product Use 150 x 90 hy90  
Material type Structural Laminated Veneer Lumber to AS/NZS 4357

### 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	8.3 mm	2.8 mm (long term)	2.9
Live load - $\Psi_S Q$	10.0 mm	0.8 mm	12.8
Wind load - $W_s$	12.5 mm	2.4 mm	5.3

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

### 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-1.7
1.2G + 1.5Q	0.80	-2.6
1.2G + $W_u$ + $\Psi_c Q$	1.00	-3.6
0.9G + $W_u$	1.00	2.2

### 8) Installation requirements

- Provide at least 30 mm bearing at end supports

## Member 10

1) Member code and description EJ10 - Lintels - In single or upper storey load bearing walls

2) Date prepared 16 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

### 4) Design inputs

Span 0.7 m  
Roof load width 'RLW' 1.3 m  
Roof type and mass Light roof and ceiling - 40 kg/m<sup>2</sup>  
Nominal wall thickness 90 mm

### 5) Member specification

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	2.3 mm	0.2 mm (long term)	11.6
Live load - $\Psi_S Q$	2.8 mm	0.1 mm	45.6
Wind load - $W_s$	3.5 mm	0.2 mm	18.9

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-0.7
1.2G + 1.5Q	0.80	-1.1
1.2G + $W_u$ + $\Psi_c Q$	1.00	-1.5
0.9G + $W_u$	1.00	1.0

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

# Member 11

1) Member code and description EJ11 - Lintels - In single or upper storey load bearing walls

2) Date prepared 16 December 2021

3) Serviceability criteria AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	0.7 m
Roof load width 'RLW'	5.9 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio
Long term load - G + $\Psi_L Q^*$	2.3 mm	0.9 mm (long term)	2.6
Live load - $\Psi_S Q$	2.8 mm	0.3 mm	10.1
Wind load - $W_s$	3.5 mm	0.8 mm	4.2

\*Critical serviceability load case

**BUILDING CONSENT**

**GRANTED**

17/05/2022

**HUTT CITY COUNCIL**



See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-3.1
1.2G + 1.5Q	0.80	-4.9
1.2G + $W_u$ + $\Psi_c Q$	1.00	-6.9
0.9G + $W_u$	1.00	4.6

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

# Member 12

**1) Member code and description** EJ12 - Lintels - In single or upper storey load bearing walls

**2) Date prepared** 16 December 2021

**3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span	2.1 m
Roof load width 'RLW'	5.9 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

## 5) Member specification

Size, stress grade/product	Use 200 x 90 hy90
Material type	Structural Laminated Veneer Lumber to AS/NZS 4357

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	7.0 mm	2.0 mm (long term)	3.5
Live load - $\Psi_S Q$	8.4 mm	0.6 mm	14.1
Wind load - $W_s$	10.5 mm	1.8 mm	5.8

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-4.5
1.2G + 1.5Q	0.80	-7.1
1.2G + $W_u$ + $\Psi_c Q$	1.00	-9.9
0.9G + $W_u$	1.00	6.4

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



## Member 13

- 1) Member code and description** EJ13 - Lintels - In single or upper storey load bearing walls
- 2) Date prepared** 16 December 2021
- 3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016
- 4) Design inputs**
- |                        |   |
|------------------------|---|
| Span                   | 1.5 m   |
| Roof load width 'RLW'  | 4.2 m   |
| Roof type and mass     | Light roof and ceiling - 40 kg/m <sup>2</sup> |
| Nominal wall thickness | 90 mm   |
- 5) Member specification**
- |                            |   |
|----------------------------|---|
| Size, stress grade/product | Use 150 x 90 hy90                                 |
| Material type              | Structural Laminated Veneer Lumber to AS/NZS 4357 |

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	5.0 mm	1.2 mm (long term)	4.3
Live load - $\Psi_S Q$	6.0 mm	0.4 mm	17.0
Wind load - $W_S$	7.5 mm	1.1 mm	7.0

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-2.5
1.2G + 1.5Q	0.80	-3.9
1.2G + $W_u$ + $\Psi_c Q$	1.00	-5.6
0.9G + $W_u$	1.00	3.6

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports

## Member 14

- 1) Member code and description** EJ14 - Lintels - In single or upper storey load bearing walls
- 2) Date prepared** 16 December 2021
- 3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016
- 4) Design inputs**
- |                        |   |
|------------------------|---|
| Span                   | 1.7 m   |
| Roof load width 'RLW'  | 2.4 m   |
| Roof type and mass     | Light roof and ceiling - 40 kg/m <sup>2</sup> |
| Nominal wall thickness | 90 mm   |
- 5) Member specification**

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**



Size, stress grade/product  
Material type

Use 150 x 90 hy90  
Structural Laminated Veneer Lumber to AS/NZS 4357

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	5.7 mm	1.0 mm (long term)	5.6
Live load - $\Psi_S Q$	6.8 mm	0.3 mm	23.2
Wind load - $W_s$	8.5 mm	0.9 mm	9.6

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup> End kN <sup>4</sup>
1.35G	0.60	-1.7
1.2G + 1.5Q	0.80	-2.6
1.2G + $W_u$ + $\Psi_c Q$	1.00	-3.7
0.9G + $W_u$	1.00	2.3

## 8) Installation requirements

- Provide at least 30 mm bearing at end supports

# Member 15

## 1) Member code and description

EJ15 - Lintels - In single or upper storey load bearing walls

## 2) Date prepared

16 December 2021

## 3) Serviceability criteria

AS 1720.1: 2010 and AS 1720.3: 2016

## 4) Design inputs

Span 2.1 m  
Roof load width 'RLW' 1.4 m  
Roof type and mass Light roof and ceiling - 40 kg/m<sup>2</sup>  
Nominal wall thickness 90 mm

## 5) Member specification

Size, stress grade/product Use 150 x 90 hy90  
Material type Structural Laminated Veneer Lumber to AS/NZS 4357

## 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - $G + \Psi_L Q^*$	7.0 mm	1.2 mm (long term)	5.9
Live load - $\Psi_S Q$	8.4 mm	0.3 mm	26.0
Wind load - $W_s$	10.5 mm	1.0 mm	10.8

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

## 7) Reactions

Limit States Design Reaction <sup>2,3</sup>
---

**BUILDING CONSENT**

**GRANTED**  
17/05/2022

**HUTT CITY COUNCIL**



Load case	$k_1^1$	End kN <sup>4</sup>
1.35G	0.60	-1.2
1.2G + 1.5Q	0.80	-1.8
1.2G + $W_u$ + $\Psi_c Q$	1.00	-2.6
0.9G + $W_u$	1.00	1.6

#### 8) Installation requirements

- Provide at least 30 mm bearing at end supports

## Member 16

**1) Member code and description** En-suite internal - Lintels - In single or upper storey load bearing walls

**2) Date prepared** 16 December 2021

**3) Serviceability criteria** AS 1720.1: 2010 and AS 1720.3: 2016

#### 4) Design inputs

Span	0.8 m
Roof load width 'RLW'	1.1 m
Roof type and mass	Light roof and ceiling - 40 kg/m <sup>2</sup>
Nominal wall thickness	90 mm

#### 5) Member specification

Size, stress grade/product	Use 2/90 x 45 SG8
Material type	Dry softwood, machine stress graded and verified (NZS 3622)
Assumed design density	< 480 kg/m <sup>3</sup>

#### 6) Serviceability

Load case	Limit <sup>3</sup> on average deflection <sup>2</sup>	Estimated average deflection <sup>2</sup>	Rigidity ratio <sup>4</sup>
Long term load - G + $\Psi_L Q^*$	2.7 mm	0.3 mm (long term)	10.4
Live load - $\Psi_s Q$	3.2 mm	0.1 mm	41.3
Wind load - $W_s$	4.0 mm	0.2 mm	17.1

\*Critical serviceability load case

See 'Notes for interpretation of serviceability data' at the end of this report

#### 7) Reactions

Load case	$k_1^1$	Limit States Design Reaction <sup>2,3</sup>
		End kN <sup>4</sup>
1.35G	0.60	-0.6
1.2G + 1.5Q	0.80	-1.0
1.2G + $W_u$ + $\Psi_c Q$	1.00	-1.3
0.9G + $W_u$	1.00	0.9

#### 8) Installation requirements

- Provide at least 30 mm bearing at end supports
- Vertical lamination required - refer AS 1684

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**

Notes for interpretation of serviceability data



1. 'average deflection' is an engineering concept based upon a notional estimated load, notional member rigidity and, in some cases, an approximate model of material response to environmental conditions. These parameters are, 'standardised' in AS 1170 and AS 1720.
2. Deflection is the flexural response to load 'out-of-level' measurements of installations are not necessarily deflections and can incorporate 'initial out-of-straightness', whether intended or not. Furthermore, loads can be higher/lower than the notional estimate and in any comparison with measured levels, material variability needs to also be considered. AS 1720 gives the following basis for estimation of upper bound deflections for various materials.
 

No 1 Framing – visually graded to NZS 3631	Average + 100%
SG grades - mechanically graded to AS/NZS 1748	Average + 43%
GL grades for glulam to AS 1328	Average + 33%
LVL to AS/NZS 4357 (includes hySPAN and hyJOIST)	Average +18%

As can be seen, comparison of the 'average deflection' for different materials, even if calculated on the same basis, does not give the whole picture!

3. The limits referred are those specified in AS 1720.3 for the stated load case.
4. 'Rigidity ratio' expresses the rigidity of the specified beam relative to the rigidity of a notional beam just meeting the serviceability requirements detailed.

#### **Notes for interpretation of reaction data**

- . Duration of load factor 'k<sub>1</sub>' for strength as per NZS 3603:1993
- . Negative (-) reactions relate to the 'gravity' or 'downwards' force on the support
- . Positive reactions relate to the 'upwards' forces or 'tie-down' requirement on the support
- . End reaction includes allowance for overhang/cantilever where one has been designed

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**







**MiTek Beam v1.10 June 2011**

Date: Thursday, 16 December 2021  
 Job Number 358595C1  
 Job Name New House-Tekapo 2  
 Client D.M.A.C Homes Ltd  
 Calculated By Paul Shepherd

Roof Weight light + ceiling  
 Wind Zone high (44.0 m/s)  
 Snow Load 0 kPa

**Beam Details**

Beam Label										
Beam Span (mm)										
Roof Span "S" (mm)										
Overhang (mm)										
Wall Type										
Wall Height (mm)										
Floor Live load										
Floor Span "F" (mm)										

**MiTek Bearing Reactions**

Not in use in this version

**Point Load 1**

Girder Span (mm)										
Setback (mm)										
Location (mm)										

**Point Load 2**

Girder Span (mm)										
Setback (mm)										
Location (mm)										

**Point Load 3**

Girder Span (mm)										
Setback (mm)										
Location (mm)										

Beam Status										
Beam Material										
Beam Size										
Beam Deflection										
Beam Length										

**BUILDING CONSENT**

**GRANTED  
17/05/2022**

**HUTT CITY COUNCIL**





MiTek Beam v1.10 June 2011

Date: Thursday, 16 December 2021  
 Job Number 358595C1  
 Job Name New House-Tekapo 2  
 Client D.M.A.C Homes Ltd  
 Calculated By Paul Shepherd

Roof Weight light + ceiling  
 Wind Zone high (44.0 m/s)  
 Snow Load 0 kPa

Beam Details

Beam Label										
Beam Span (mm)										
Roof Span "S" (mm)										
Overhang (mm)										
Wall Type										
Wall Height (mm)										
Floor Live load										
Floor Span "F" (mm)										

MiTek Bearing Reactions

Not in use in this version

Point Load 1

Girder Span (mm)										
Setback (mm)										
Location (mm)										

Point Load 2

Girder Span (mm)										
Setback (mm)										
Location (mm)										

Point Load 3

Girder Span (mm)										
Setback (mm)										
Location (mm)										

Beam Status										
Beam Material										
Beam Size										
Beam Deflection										
Beam Length										

BUILDING CONSENT

GRANTED  
 17/05/2022

HUTT CITY COUNCIL





**MiTek Beam v1.10 June 2011**

Date: Thursday, 16 December 2021  
 Job Number 358595C1  
 Job Name New House-Tekapo 2  
 Client D.M.A.C Homes Ltd  
 Calculated By Paul Shepherd

Roof Weight light + ceiling  
 Wind Zone high (44.0 m/s)  
 Snow Load 0 kPa

**Beam Details**

Beam Label												
Beam Span (mm)												
Roof Span "S" (mm)												
Overhang (mm)												
Wall Type												
Wall Height (mm)												
Floor Live load												
Floor Span "F" (mm)												

**MiTek Bearing Reactions**

Not in use in this version


**Point Load 1**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

**Point Load 2**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

**Point Load 3**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

Beam Status												
Beam Material												
Beam Size												
Beam Deflection												
Beam Length												

BUILDING CONSENT

GRANTED  
17/05/2022

HUTT CITY COUNCIL


  
HUTT CITY  
TE ŌHĀ KĀKARANGI



**MiTek Beam v1.10 June 2011**

Date: Thursday, 16 December 2021  
 Job Number 358595C1  
 Job Name New House-Tekapo 2  
 Client D.M.A.C Homes Ltd  
 Calculated By Paul Shepherd

Roof Weight light + ceiling  
 Wind Zone high (44.0 m/s)  
 Snow Load 0 kPa

**Beam Details**

Beam Label												
Beam Span (mm)												
Roof Span "S" (mm)												
Overhang (mm)												
Wall Type												
Wall Height (mm)												
Floor Live load												
Floor Span "F" (mm)												

**MiTek Bearing Reactions**

Not in use in this version

**Point Load 1**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

**Point Load 2**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

**Point Load 3**

Girder Span (mm)												
Setback (mm)												
Location (mm)												

Beam Status												
Beam Material												
Beam Size												
Beam Deflection												
Beam Length												

**BUILDING CONSENT**

**GRANTED**  
**17/05/2022**

**HUTT CITY COUNCIL**

