

## **Appendix 2: Recommended decisions on submissions on the Three Waters chapter and related strategic directions and definitions**

---

## Submission points on Three Waters chapter

| Submitter                  | Sub #  | Provision                                               | Position               | Summary of requested relief                                     | Recommendation |
|----------------------------|--------|---------------------------------------------------------|------------------------|-----------------------------------------------------------------|----------------|
| Friends of Waiwhetū Stream | 302.1  | Whole chapter – requirements for hydraulic neutrality   | Support                | Retain provisions to hydraulic neutrality as notified           | Accept in part |
| Friends of Waiwhetū Stream | 302.2  | Whole chapter – requirements for water sensitive design | Support                | Retain provisions to water sensitive design as notified         | Accept in part |
| Wellington Water Ltd       | 422.12 | New objective – Waiwhetū aquifer                        | Oppose (new provision) | Add objective to protect aquifer from urban development effects | Reject         |
| Friends of Waiwhetū Stream | 302.03 | New provisions                                          | Amend                  | Mandatory rainwater retention tanks for all new developments    | Reject         |
| Fire and Emergency NZ      | 374.30 | New rule – Rural Zones                                  | Oppose (new provision) | Add THW-RX rule for firefighting water supply in rural zones    | Reject         |

|                                         |        |                                                                     |         |                    |        |
|-----------------------------------------|--------|---------------------------------------------------------------------|---------|--------------------|--------|
| Te<br>Rūnanganui<br>O Te Āti<br>Awa     | 503.31 | THW-O1<br>THW-O2                                                    | Support | Retain as notified | Accept |
| Kāinga Ora                              | 386.2  | THW-O1<br>(Infrastructure<br>enabled<br>urban<br>development)       | Support | Retain as notified | Accept |
| Wellington<br>Regional<br>Council       | 452.43 | THW-O1<br>(Infrastructure<br>enabled<br>urban<br>development)       | Support | Retain as notified | Accept |
| Fire and<br>Emergency<br>New<br>Zealand | 374.27 | THW-O1<br>THW-P1                                                    | Support | Retain as notified | Accept |
| KiwiRail<br>Holdings                    | 442.56 | THW-O2<br>(Hydraulic<br>neutrality and<br>stormwater<br>management) | Support | Retain as notified | Accept |

|                             |         |                                                         |                 |                                                                          |                |
|-----------------------------|---------|---------------------------------------------------------|-----------------|--------------------------------------------------------------------------|----------------|
| Wellington Regional Council | 452.44  | THW-O2 (Hydraulic neutrality and stormwater management) | Support         | Retain as notified                                                       | Accept         |
| The Fuel Companies          | 471.122 | THW-O2 (Hydraulic neutrality and stormwater management) | Support         | Retain as notified                                                       | Accept         |
| Kāinga Ora                  | 386.3   | THW-P1 (Infrastructure servicing)                       | Support in part | Delete clause 1 (already in THW-P2); add clause re infrastructure timing | Accept in part |
| Wellington Regional Council | 452.45  | THW-P1 (Infrastructure servicing)                       | Support         | Retain as notified                                                       | Accept         |
| The Fuel Companies          | 471.123 | THW-P1 (Infrastructure servicing)                       | Support         | Retain as notified                                                       | Accept         |
| Wellington Water Ltd        | 422.13  | THW-P1, P2, R1, R2, R4                                  | Support in part | Update RSWS reference from Version 3.0 to Version 3.1                    | Accept         |
| Kāinga Ora                  | 386.4   | THW-P2 (Infrastructure capacity)                        | Support in part | Amend to refer to 'relevant' Regional Standard for Water Services        | Reject         |

|                                         |         |                                          |         |                    |        |
|-----------------------------------------|---------|------------------------------------------|---------|--------------------|--------|
| Fire and<br>Emergency<br>New<br>Zealand | 374.28  | THW-P2<br>(Infrastructure<br>capacity)   | Support | Retain as notified | Accept |
| Wellington<br>Regional<br>Council       | 452.46  | THW-P2<br>(Infrastructure<br>capacity)   | Support | Retain as notified | Accept |
| The Fuel<br>Companies                   | 471.124 | THW-P2<br>(Infrastructure<br>capacity)   | Support | Retain as notified | Accept |
| KiwiRail<br>Holdings                    | 442.57  | THW-P3<br>(Hydraulic<br>neutrality)      | Support | Retain as notified | Accept |
| Wellingotn<br>Regional<br>Council       | 452.47  | THW-P3<br>(Hydraulic<br>neutrality)      | Support | Retain as notified | Accept |
| The Fuel<br>Companies                   | 471.125 | THW-P3<br>(Hydraulic<br>neutrality)      | Support | Retain as notified | Accept |
| Wellington<br>Regional<br>Council       | 452.48  | THW-P4<br>(Water<br>sensitive<br>design) | Support | Retain as notified | Accept |

|                             |         |                                    |                 |                                                                              |        |
|-----------------------------|---------|------------------------------------|-----------------|------------------------------------------------------------------------------|--------|
| The Fuel Companies          | 471.126 | THW-P4<br>(Water sensitive design) | Support         | Retain as notified                                                           | Accept |
| Kāinga Ora                  | 386.5   | THW-P4<br>(Water sensitive design) | Oppose in part  | Change 'Require' to 'Encourage'; allow flexibility where not achievable      | Reject |
| Te Rūnanganui O Te Āti Awa  | 503.32  | THW-P4<br>(Water Sensitive Design) | Support in part | More flexibility for small scale development                                 | Reject |
| Wellington Regional Council | 452.49  | THW-P5<br>(Water supply)           | Support         | Retain as notified                                                           | Accept |
| Te Rūnanganui O Te Āti Awa  | 503.30a | THW-P5<br>(Water supply)           | Support         | Retain as notified                                                           | Accept |
| Wellington Regional Council | 452.50  | THW-R1<br>(Connections)            | Support         | Retain as notified                                                           | Accept |
| The Fuel Companies          | 471.127 | THW-R1<br>(Connections)            | Support         | Amend to refer to performance criteria in Chapter 4, section 4.2 of the RSWS | Accept |

|                                |         |                                 |                 |                                                               |                |
|--------------------------------|---------|---------------------------------|-----------------|---------------------------------------------------------------|----------------|
| Fire and Emergency NZ          | 374.29  | THW-R1 (Connections)            | Support in part | Add firefighting code compliance to water supply requirements | Accept in part |
| Policy Planning team of HCC    | 440.25  | THW-R1 (Connections)            | Oppose in part  | Change 'cannot be achieved' to 'is not achieved'              | Accept         |
| Survey and Spatial New Zealand | 466.1   | THW-R1 (Connections)            | Oppose in part  | Remove RSWS cross-references; specify requirements in plan    | Reject         |
| Wellington Regional Council    | 452.51  | THW-R2 (Hydraulic neutrality)   | Support         | Retain as notified                                            | Accept         |
| Survey and Spatial New Zealand | 466.2   | THW-R2 (Hydraulic neutrality)   | Oppose in part  | Allow alternatives to WW pre-approved detention systems       | Reject         |
| The Fuel Companies             | 471.128 | THW-R2 (Hydraulic neutrality)   | Support in part | Extend permitted status to small non-residential (<200m²)     | Accept in part |
| Wellington Regional Council    | 452.52  | THW-R3 (Water Sensitive Design) | Support         | Retain as notified                                            | Accept         |

|                                |         |                                                                                                           |                 |                                                                    |                |
|--------------------------------|---------|-----------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------|----------------|
| Kāinga Ora                     | 386.6   | THW-R3<br>(Water Sensitive Design)                                                                        | Support in part | Add matter of discretion for alternative engineering solutions     | Accept in part |
| Policy Planning team of HCC    | 440.26  | THW-R3<br>(Water Sensitive Design)                                                                        | Oppose in part  | Amend clause 3 wording for consistency                             | Accept         |
| Survey and Spatial New Zealand | 466.3   | THW-R3<br>(Water Sensitive Design)                                                                        | Oppose in part  | WSD Guideline not suitable for infill; amend matters of discretion | Rejected       |
| The Fuel Companies             | 471.129 | THW-R3<br>(Water Sensitive Design)                                                                        | Support         | Retain as notified                                                 | Accept         |
| Wellington Regional Council    | 452.53  | THW-R4 (New residential units and retirement villages that are connected to the reticulated water system) | Support         | Retain as notified                                                 | Accept         |

|                            |         |                                                                                                           |                 |                                                  |        |
|----------------------------|---------|-----------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------|--------|
| Te Rūnanganui O Te Āti Awa | 503.30b | THW-R4 (New residential units and retirement villages that are connected to the reticulated water system) | Support         | Retain as notified                               | Accept |
| Go Architecture Ltd        | 331.4   | Whole Chapter                                                                                             | Support in part | Allow for future revisions of external documents | Reject |

| Submission points on Strategic Directions   |        |                                   |                 |                                                                                       |                |
|---------------------------------------------|--------|-----------------------------------|-----------------|---------------------------------------------------------------------------------------|----------------|
| Submitter                                   | Sub #  | Provision                         | Position        | Summary of requested relief                                                           | Recommendation |
| Horokiwi Quarries Ltd                       | 246.7a | INFSD-O6 (Water sensitive design) | Support in part | No relief requested                                                                   | Accept         |
| Royal Forest and Bird Protection Society of | 424.9  | INFSD-O6 (Water sensitive design) | Support in part | Requests that the objective specifically addresses new development and redevelopment. | Reject         |

|                             |        |                                   |                 |                                                                         |        |
|-----------------------------|--------|-----------------------------------|-----------------|-------------------------------------------------------------------------|--------|
| New Zealand Inc.            |        |                                   |                 |                                                                         |        |
| Wellington Regional Council | 452.18 | INFSD-O6 (Water sensitive design) | Support in part | Requests that the objective be amended to address green infrastructure. | Reject |

| <b>Submission points on Definitions</b>                                                 |              |                      |                 |                                                                                                                                                                                                                                       |                       |
|-----------------------------------------------------------------------------------------|--------------|----------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| <b>Submitter</b>                                                                        | <b>Sub #</b> | <b>Provision</b>     | <b>Position</b> | <b>Summary of requested relief</b>                                                                                                                                                                                                    | <b>Recommendation</b> |
| Wellington Regional Council                                                             | 452.8        | Hydraulic neutrality | Support in part | Amend the definition of hydraulic neutrality to specifically refer to the "10% annual exceedance probability and 1% annual exceedance probability modelled design rainfall events including the predicted impacts of climate change." | Accept                |
| BP Oil New Zealand Ltd, Mobil Oil New Zealand Ltd and Z Energy Ltd (the Fuel Companies) | 471.70       | Hydraulic neutrality | Support in part | Amend the definition of hydraulic neutrality to refer to "the rate of stormwater released from the site" and "modelled peak flows prior to the proposed new lots or development."                                                     | Accept                |

|                                                                                         |        |                                     |         |                                                                                                                                                       |        |
|-----------------------------------------------------------------------------------------|--------|-------------------------------------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Wellington Regional Council                                                             | 452.15 | New definition - Undeveloped stated | Amend   | Insert new definition of Undeveloped state, to mean the modelled grassed (pastoral or urban open space) state of the site prior to urban development. | Reject |
| BP Oil New Zealand Ltd, Mobil Oil New Zealand Ltd and Z Energy Ltd (the Fuel Companies) | 471.51 | Stormwater                          | Support | Retain as notified                                                                                                                                    | Accept |
| BP Oil New Zealand Ltd, Mobil Oil New Zealand Ltd and Z Energy Ltd (the Fuel Companies) | 471.53 | Three waters network, three waters  | Support | Retain as notified                                                                                                                                    | Accept |
| BP Oil New Zealand Ltd, Mobil Oil New Zealand Ltd                                       | 471.55 | Wastewater                          | Support | Retain as notified                                                                                                                                    | Accept |

|                                                                                                                 |        |                              |         |                     |        |
|-----------------------------------------------------------------------------------------------------------------|--------|------------------------------|---------|---------------------|--------|
| and Z<br>Energy Ltd<br>(the Fuel<br>Companies)                                                                  |        |                              |         |                     |        |
| Wellington<br>Regional<br>Council                                                                               | 452.14 | Water<br>sensitive<br>design | Support | Retain as notified. | Accept |
| BP Oil New<br>Zealand Ltd,<br>Mobil Oil<br>New<br>Zealand Ltd<br>and Z<br>Energy Ltd<br>(the Fuel<br>Companies) | 471.56 | Water<br>sensitive<br>design | Support | Retain as notified  | Accept |