

From: Susan Sales <susan.sales@huttcity.govt.nz>
Sent: Thursday, 9 February 2023 6:02 pm
To: [REDACTED]
Subject: [EXTERNAL] LGOIMA Lower Hutt vehicular traffic data



Susan Sales sent you a secure message

Access message

Dear Abdus-Samad

Thank you for your correspondence of 9 January 2023 and 11 January 2023, in which you have requested vehicular traffic data (broken down by heavy vehicles and light vehicles) for key locations in the Lower Hutt District over the last five years.

Hutt City Council does not hold vehicular data in a tabulated form, however we have attached the raw data that we hold for 2019 and 2020 vehicle movements. We have also attached some material that is available for 2021 traffic movements ('Reports' file attached).

Please note that New Zealand was at various levels of lockdown in response to the Covid outbreak from March 2020 through to late 2021. Vehicular traffic movements during this period are likely to be lower than what would normally be expected.


Information for the balance of 2021, and for 2022, is not yet available, nor do we hold data that separates light vehicles from heavy vehicles. In these instances, the provisions of section 17(g) of the Act apply, as Hutt City Council does not hold the information you requested and we have no reason to believe that it is held by another government agency.

You have the right to seek an investigation and review by the Ombudsman of this response. Information about how to make a complaint is available at www.ombudsman.parliament.nz or freephone 0800 802 602.

Please note that this letter and attachments may be published on the Council's website.

Susan Sales
Senior Advisor, Official Information and Privacy
Hutt City Council

Secured by **Kiteworks**

 Attachments expire on Aug 08, 2023



3 compressed files

2019 Traffic Reports.zip, Reports.zip, 2020 Traffic Reports.zip

This message requires that you sign in to access the message and any file attachments.

MetroCount Traffic Executive Adjusted Flow

AADT-1008 -- English (ENU)

Datasets:

Site: [CEN0108] Knights Road East Bound
Attribute:
Direction: 2 - East bound, A trigger first. **Lane:** 2
Survey Duration: 19:04 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1152.EC2 (Plus B)
Identifier: PS44DDP3 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday April 2, 2021 (7.69948)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = East, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 27532 / 27533 (100.00%)

Released under the Local Government Official Information and Meetings Act

Day	Hits	RawVol	DayFac	MonFac	AdjVol	Date
0						Thursday, March 25, 2021
1	1	4218.000	1.000	1.000	4218.000	Friday, March 26, 2021
2	1	3133.000	1.000	1.000	3133.000	Saturday, March 27, 2021
3	1	2375.000	1.000	1.000	2375.000	Sunday, March 28, 2021
4	1	3895.000	1.000	1.000	3895.000	Monday, March 29, 2021
5	1	4179.000	1.000	1.000	4179.000	Tuesday, March 30, 2021
6	1	4353.000	1.000	1.000	4353.000	Wednesday, March 31, 2021
7	1	4604.000	1.000	1.000	4604.000	Thursday, April 1, 2021
8						Friday, April 2, 2021

Total days = 7, Coverage = 1.92%

ADT = 3822.429, SD = 790.739

AAAT = 3822.429, SD = 790.739

Weekdays = 5, Coverage = 1.37%

AWDT = 4249.800, SD = 258.851

AAWDT = 4249.800, SD = 258.851

Weekend days = 2, Coverage = 0.55%

AWET = 2754.000, SD = 535.987

AAWET = 2754.000, SD = 535.987

ADT and adjustment factor by month

Jan

Feb

Mar - Vol = 22153.000, Days = 6, ADT = 3692.167, Adjust = 1.03528, 1/Adjust = 0.96592

Apr - Vol = 4604.000, Days = 1, ADT = 4604.000, Adjust = 0.83024, 1/Adjust = 1.20447

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

ADT and adjustment factor by day of week

Mon - Vol = 3895.000, Days = 1, ADT = 3895.000, Adjust = 0.98137, 1/Adjust = 1.01899

Tue - Vol = 4179.000, Days = 1, ADT = 4179.000, Adjust = 0.91468, 1/Adjust = 1.09328

Wed - Vol = 4353.000, Days = 1, ADT = 4353.000, Adjust = 0.87811, 1/Adjust = 1.13880

Thu - Vol = 4604.000, Days = 1, ADT = 4604.000, Adjust = 0.83024, 1/Adjust = 1.20447

Fri - Vol = 4218.000, Days = 1, ADT = 4218.000, Adjust = 0.90622, 1/Adjust = 1.10349

Sat - Vol = 3133.000, Days = 1, ADT = 3133.000, Adjust = 1.22005, 1/Adjust = 0.81964

Sun - Vol = 2375.000, Days = 1, ADT = 2375.000, Adjust = 1.60944, 1/Adjust = 0.62133

Released Under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Adjusted Flow

AADT-1006 -- English (ENU)

Datasets:

Site: [CEN01038] Knights Road West bound
Attribute:
Direction: 4 - West bound, A trigger first. **Lane:** 1
Survey Duration: 19:05 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1148.EC1 (Plus)
Identifier: DG060PZX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday April 2, 2021 (7.69605)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = West Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 14009 / 14009 (100.00%)

Released under the Local Government Official Information and Meetings Act

Day	Hits	RawVol	DayFac	MonFac	AdjVol	Date
0						Thursday, March 25, 2021
1	1	40.000	1.000	1.000	40.000	Friday, March 26, 2021
2	1	40.000	1.000	1.000	40.000	Saturday, March 27, 2021
3	1	17.000	1.000	1.000	17.000	Sunday, March 28, 2021
4	1	1887.000	1.000	1.000	1887.000	Monday, March 29, 2021
5	1	3828.000	1.000	1.000	3828.000	Tuesday, March 30, 2021
6	1	3734.000	1.000	1.000	3734.000	Wednesday, March 31, 2021
7	1	4065.000	1.000	1.000	4065.000	Thursday, April 1, 2021
8						Friday, April 2, 2021

Total days = 7, Coverage = 1.92%

ADT = 1944.429, SD = 1924.370

AA DT = 1944.429, SD = 1924.370

Weekdays = 5, Coverage = 1.37%

AWDT = 2710.800, SD = 1727.770

AAWDT = 2710.800, SD = 1727.770

Weekend days = 2, Coverage = 0.55%

AWET = 28.500, SD = 16.263

AAWET = 28.500, SD = 16.263

ADT and adjustment factor by month

Jan

Feb

Mar - Vol = 9546.000, Days = 6, ADT = 1591.000, Adjust = 1.22214, 1/Adjust = 0.81824

Apr - Vol = 4065.000, Days = 1, ADT = 4065.000, Adjust = 0.47833, 1/Adjust = 2.09059

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

ADT and adjustment factor by day of week

Mon - Vol = 1887.000, Days = 1, ADT = 1887.000, Adjust = 1.03043, 1/Adjust = 0.97047

Tue - Vol = 3828.000, Days = 1, ADT = 3828.000, Adjust = 0.50795, 1/Adjust = 1.96870

Wed - Vol = 3734.000, Days = 1, ADT = 3734.000, Adjust = 0.52074, 1/Adjust = 1.92036

Thu - Vol = 4065.000, Days = 1, ADT = 4065.000, Adjust = 0.47833, 1/Adjust = 2.09059

Fri - Vol = 40.000, Days = 1, ADT = 40.000, Adjust = 48.61071, 1/Adjust = 0.02057

Sat - Vol = 40.000, Days = 1, ADT = 40.000, Adjust = 48.61071, 1/Adjust = 0.02057

Sun - Vol = 17.000, Days = 1, ADT = 17.000, Adjust = 114.37815, 1/Adjust = 0.00874

Released Under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Adjusted Flow

AADT-1010 -- English (ENU)

Datasets:

Site: [CEN01092] Oxford Terrace Waterloo OS#46
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:54 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021,
Zone:
File: CEN01092 0 2021-04-02 1137.EC1 (Plus)
Identifier: S414Z5XX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday April 2, 2021 (7.65435)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 79914 / 79937 (99.97%)

Released under the Local Government Official Information and Meetings Act

Day	Hits	RawVol	DayFac	MonFac	AdjVol	Date
0						Thursday, March 25, 2021
1	1	12518.000	1.000	1.000	12518.000	Friday, March 26, 2021
2	1	9060.000	1.000	1.000	9060.000	Saturday, March 27, 2021
3	1	6891.000	1.000	1.000	6891.000	Sunday, March 28, 2021
4	1	11677.000	1.000	1.000	11677.000	Monday, March 29, 2021
5	1	12230.000	1.000	1.000	12230.000	Tuesday, March 30, 2021
6	1	12586.000	1.000	1.000	12586.000	Wednesday, March 31, 2021
7	1	12979.000	1.000	1.000	12979.000	Thursday, April 1, 2021
8						Friday, April 2, 2021

Total days = 7, Coverage = 1.92%

ADT = 11134.429, SD = 2281.388

AAAT = 11134.429, SD = 2281.388

Weekdays = 5, Coverage = 1.37%

AWDT = 12398.000, SD = 483.573

AAWDT = 12398.000, SD = 483.573

Weekend days = 2, Coverage = 0.55%

AWET = 7975.500, SD = 1533.715

AAWET = 7975.500, SD = 1533.715

ADT and adjustment factor by month

Jan

Feb

Mar - Vol = 64962.000, Days = 6, ADT = 10827.000, Adjust = 1.02839, 1/Adjust = 0.97239

Apr - Vol = 12979.000, Days = 1, ADT = 12979.000, Adjust = 0.85788, 1/Adjust = 1.16566

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

ADT and adjustment factor by day of week

Mon - Vol = 11677.000, Days = 1, ADT = 11677.000, Adjust = 0.95354, 1/Adjust = 1.04873

Tue - Vol = 12230.000, Days = 1, ADT = 12230.000, Adjust = 0.91042, 1/Adjust = 1.09839

Wed - Vol = 12586.000, Days = 1, ADT = 12586.000, Adjust = 0.88467, 1/Adjust = 1.13037

Thu - Vol = 12979.000, Days = 1, ADT = 12979.000, Adjust = 0.85788, 1/Adjust = 1.16566

Fri - Vol = 12518.000, Days = 1, ADT = 12518.000, Adjust = 0.88947, 1/Adjust = 1.12426

Sat - Vol = 9060.000, Days = 1, ADT = 9060.000, Adjust = 1.22897, 1/Adjust = 0.81369

Sun - Vol = 6891.000, Days = 1, ADT = 6891.000, Adjust = 1.61579, 1/Adjust = 0.61889

Released Under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Adjusted Flow

AADT-1012 -- English (ENU)

Datasets:

Site: [SPC21-006] Pohuttukawa Street Woburn OS 101
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:43 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021,
Zone:
File: SPC21-006 0 2021-04-02 1143.EC1 (Plus B)
Identifier: PP51QZM4 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday April 2, 2021 (7.66615)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 30683 / 30683 (100.00%)

Released under the Local Government Official Information and Meetings Act

Day	Hits	RawVol	DayFac	MonFac	AdjVol	Date
0						Thursday, March 25, 2021
1	1	4974.000	1.000	1.000	4974.000	Friday, March 26, 2021
2	1	3564.000	1.000	1.000	3564.000	Saturday, March 27, 2021
3	1	2630.000	1.000	1.000	2630.000	Sunday, March 28, 2021
4	1	4503.000	1.000	1.000	4503.000	Monday, March 29, 2021
5	1	4704.000	1.000	1.000	4704.000	Tuesday, March 30, 2021
6	1	4682.000	1.000	1.000	4682.000	Wednesday, March 31, 2021
7	1	4689.000	1.000	1.000	4689.000	Thursday, April 1, 2021
8						Friday, April 2, 2021

Total days = 7, Coverage = 1.92%

ADT = 4249.429, SD = 843.469

AAAT = 4249.429, SD = 843.469

Weekdays = 5, Coverage = 1.37%

AWDT = 4710.400, SD = 168.675

AAWDT = 4710.400, SD = 168.675

Weekend days = 2, Coverage = 0.55%

AWET = 3097.000, SD = 660.438

AAWET = 3097.000, SD = 660.438

ADT and adjustment factor by month

Jan

Feb

Mar - Vol = 25057.000, Days = 6, ADT = 4176.167, Adjust = 1.01754, 1/Adjust = 0.98276

Apr - Vol = 4689.000, Days = 1, ADT = 4689.000, Adjust = 0.90625, 1/Adjust = 1.10344

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

ADT and adjustment factor by day of week

Mon - Vol = 4503.000, Days = 1, ADT = 4503.000, Adjust = 0.94369, 1/Adjust = 1.05967

Tue - Vol = 4704.000, Days = 1, ADT = 4704.000, Adjust = 0.90336, 1/Adjust = 1.10697

Wed - Vol = 4682.000, Days = 1, ADT = 4682.000, Adjust = 0.90761, 1/Adjust = 1.10180

Thu - Vol = 4689.000, Days = 1, ADT = 4689.000, Adjust = 0.90625, 1/Adjust = 1.10344

Fri - Vol = 4974.000, Days = 1, ADT = 4974.000, Adjust = 0.85433, 1/Adjust = 1.17051

Sat - Vol = 3564.000, Days = 1, ADT = 3564.000, Adjust = 1.19232, 1/Adjust = 0.83870

Sun - Vol = 2630.000, Days = 1, ADT = 2630.000, Adjust = 1.61575, 1/Adjust = 0.61891

Released under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Daily Classes

DailyClass-1021 -- English (ENU)

Datasets:

Site: [CEN0108] Knights Road East Bound
Attribute:
Direction: 2 - East bound, A trigger first. **Lane:** 2
Survey Duration: 19:04 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1152.EC2 (Plus B)
Identifier: PS44DDP3 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday April 2, 2021 (7.69948)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = East, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 27532 / 27533 (100.00%)

Released under the Local Government Official Information and Meetings Act

Weekend

	2639	19	84	10	0	3	1	0	0	0	0	1	0
0	2754												
(%)	95.8	0.7	3.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0													

* - Incomplete

Released under the Local Government Official Information and Meetings Act

0.0

Weekend No complete days.

*** - Incomplete**

Released under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Daily Classes

DailyClass-1019 -- English (ENU)

Datasets:

Site: [CEN01038] Knights Road West bound
Attribute:
Direction: 4 - West bound, A trigger first. **Lane:** 1
Survey Duration: 19:05 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1148.EC1 (Plus)
Identifier: DG060PZX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday April 2, 2021 (7.69605)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = West Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 14009 / 14009 (100.00%)

Released under the Local Government Official Information and Meetings Act

Weekend

	24	2	0	0	0	4	0	0	0	0	0	0	0
0	29												
(%)	82.5	5.3	0.0	0.0	0.0	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0													

* - Incomplete

Released under the Local Government Official Information and Meetings Act

0.0

Weekend No complete days.

*** - Incomplete**

Released under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Daily Classes by Direction

DayClassSplit-1023 -- English (ENU)

Datasets:

Site: [CEN01092] Oxford Terrace Waterloo OS#46
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:54 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021,
Zone:
File: CEN01092 0 2021-04-02 1137.EC1 (Plus)
Identifier: S414Z5XX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday April 2, 2021 (7.65435)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 79914 / 79937 (99.97%)

Released under the Local Government Official Information and Meetings Act

Daily Classes by Direction

DayClassSplit-1023

Site: CEN01092.1.2NS
Description: Oxford Terrace Waterloo OS#46
Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Monday, March 22, 2021

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	Total
Mon*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tue*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wed*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thu*	757	1	25	4	0	0	0	0	0	0	0	0	0	1	788
(%)	96.1	0.1	3.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
AB	284	1	6	1	0	0	0	0	0	0	0	0	0	0	292
AB%	37.5	100.0	24.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.1
BA	473.0	0.0	19.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	496.0
BA%	62.5	0.0	76.0	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	62.9
Fri	11661	79	668	59	5	12	17	5	1	2	0	1	0	8	12518
(%)	93.2	0.6	5.3	0.5	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
AB	5680	41	330	32	3	8	5	4	1	2	0	1	0	2	6109
AB%	48.7	51.9	49.4	54.2	60.0	66.7	29.4	80.0	100.0	100.0	0.0	100.0	0.0	25.0	48.8
BA	5981.0	38.0	338.0	27.0	2.0	4.0	12.0	1.0	0.0	0.0	0.0	0.0	0.0	6.0	6409.0
BA%	51.3	48.1	50.6	45.8	40.0	33.3	70.6	20.0	0.0	0.0	0.0	0.0	0.0	75.0	51.2
Sat	8543	65	408	26	1	7	3	2	0	0	0	1	0	4	9060
(%)	94.3	0.7	4.5	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	4069	29	180	14	0	6	1	1	0	0	0	1	0	0	4301
AB%	47.6	44.6	44.1	53.8	0.0	85.7	33.3	50.0	0.0	0.0	0.0	100.0	0.0	0.0	47.5
BA	4474.0	36.0	228.0	12.0	1.0	1.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	4.0	4759.0
BA%	52.4	55.4	55.9	46.2	100.0	14.3	66.7	50.0	0.0	0.0	0.0	0.0	0.0	100.0	52.5
Sun	6580	50	239	10	2	2	4	0	1	0	0	0	0	3	6891
(%)	95.5	0.7	3.5	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	3225	24	114	5	1	1	2	0	1	0	0	0	0	0	3373
AB%	49.0	48.0	47.7	50.0	50.0	50.0	50.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	48.9
BA	3355.0	26.0	125.0	5.0	1.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	3518.0
BA%	51.0	52.0	52.3	50.0	50.0	50.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	51.1

Average daily volume

Entire week	8928	65	438	32	3	7	8	2	1	1	0	1	0	5	9490
(%)	94.1	0.7	4.6	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
AB	4325	31	208	17	1	5	3	2	1	1	0	1	0	1	4594
AB%	48.4	48.5	47.5	53.7	50.0	71.4	33.3	71.4	100.0	100.0	0.0	100.0	0.0	13.3	48.4
BA	4603.3	33.3	230.3	14.7	1.3	2.0	5.3	0.7	0.0	0.0	0.0	0.0	0.0	4.3	4895.3
BA%	51.6	51.5	52.5	46.3	50.0	28.6	66.7	28.6	0.0	0.0	0.0	0.0	0.0	86.7	51.6
Weekdays	11661	79	668	59	5	12	17	5	1	2	0	1	0	8	12518
(%)	93.2	0.6	5.3	0.5	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
AB	5680	41	330	32	3	8	5	4	1	2	0	1	0	2	6109
AB%	48.7	51.9	49.4	54.2	60.0	66.7	29.4	80.0	100.0	100.0	0.0	100.0	0.0	25.0	48.8
BA	5981.0	38.0	338.0	27.0	2.0	4.0	12.0	1.0	0.0	0.0	0.0	0.0	0.0	6.0	6409.0
BA%	51.3	48.1	50.6	45.8	40.0	33.3	70.6	20.0	0.0	0.0	0.0	0.0	0.0	75.0	51.2
Weekend	7562	58	324	18	2	5	4	1	1	0	0	1	0	4	7976

(%)	94.8	0.7	4.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	3647	27	147	10	1	4	2	1	1	0	0	1	0	0	0	3837
AB%	48.2	46.1	45.4	52.8	33.3	77.8	42.9	50.0	100.0	0.0	0.0	100.0	0.0	0.0	48.1	
BA	3914.5	31.0	176.5	8.5	1.0	1.0	2.0	0.5	0.0	0.0	0.0	0.0	0.0	3.5	4138.5	
BA%	51.8	53.9	54.6	47.2	66.7	22.2	57.1	50.0	0.0	0.0	0.0	0.0	0.0	100.0	51.9	

* - Incomplete

Released under the Local Government Official Information and Meetings Act

Daily Classes by Direction

DayClassSplit-1023

Site: CEN01092.1.2NS
Description: Oxford Terrace Waterloo OS#46
Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Monday, March 29, 2021

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	Total
Mon	10846	65	666	51	5	6	14	11	1	2	1	0	0	9	11677
(%)	92.9	0.6	5.7	0.4	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5332	40	323	27	4	5	9	9	0	1	1	0	0	4	5755
AB%	49.2	61.5	48.5	52.9	80.0	83.3	64.3	81.8	0.0	50.0	100.0	0.0	0.0	44.4	49.3
BA	5514.0	25.0	343.0	24.0	1.0	1.0	5.0	2.0	1.0	1.0	0.0	0.0	0.0	5.0	5922.0
BA%	50.8	38.5	51.5	47.1	20.0	16.7	35.7	18.2	100.0	50.0	0.0	0.0	0.0	55.6	50.7
Tue	11325	48	732	62	10	15	16	6	1	1	2	1	1	10	12230
(%)	92.6	0.4	6.0	0.5	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5603	28	364	40	3	12	12	5	0	1	2	1	0	4	6775
AB%	49.5	58.3	49.7	64.5	30.0	80.0	75.0	83.3	0.0	100.0	100.0	100.0	0.0	40.0	49.7
BA	5722.0	20.0	368.0	22.0	7.0	3.0	4.0	1.0	1.0	0.0	0.0	0.0	1.0	6.0	6155.0
BA%	50.5	41.7	50.3	35.5	70.0	20.0	25.0	16.7	100.0	0.0	0.0	0.0	100.0	60.0	50.3
Wed	11708	47	735	55	4	11	7	4	2	1	1	0	0	11	12586
(%)	93.0	0.4	5.8	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5669	27	376	32	1	6	4	4	0	1	0	0	0	6	6126
AB%	48.4	57.4	51.2	58.2	25.0	54.5	57.1	100.0	0.0	100.0	0.0	0.0	0.0	54.5	48.7
BA	6039.0	20.0	359.0	23.0	3.0	5.0	3.0	0.0	2.0	0.0	1.0	0.0	0.0	5.0	6460.0
BA%	51.6	42.6	48.8	41.8	75.0	45.5	42.9	0.0	100.0	0.0	100.0	0.0	0.0	45.5	51.3
Thu	12103	53	727	48	3	7	16	6	0	4	1	1	0	10	12979
(%)	93.3	0.4	5.6	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5872	31	360	28	2	6	12	2	0	2	1	0	0	2	6318
AB%	48.5	58.5	49.5	58.3	66.7	85.7	75.0	33.3	0.0	50.0	00.0	0.0	0.0	20.0	48.7
BA	6231.0	22.0	367.0	20.0	1.0	1.0	4.0	4.0	0.0	2.0	0.0	1.0	0.0	8.0	6661.0
BA%	51.5	41.5	50.5	41.7	33.3	14.3	25.0	66.7	0.0	50.0	0.0	100.0	0.0	80.0	51.3
Fri*	1103	13	59	6	0	3	0	0	0	0	0	0	0	1	1185
(%)	93.1	1.1	5.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
AB	581	5	34	2	0	2	0	0	0	0	0	0	0	0	624
AB%	52.7	38.5	57.6	33.3	0.0	66.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	52.7
BA	522.0	8.0	25.0	4.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	561.0
BA%	47.3	61.5	42.4	66.7	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	47.3
Sat*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sun*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Average daily volume

Entire week															
	11496	53	715	54	6	10	13	7	1	2	1	1	0	10	12368
(%)	92.9	0.4	5.8	0.4	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5619	32	356	32	3	7	9	5	0	1	1	0	0	4	6069
AB%	48.9	59.2	49.8	58.8	45.5	74.4	69.8	74.1	0.0	62.5	80.0	50.0	0.0	40.0	49.1
BA	5876.5	21.8	359.3	22.3	3.0	2.5	4.0	1.8	1.0	0.8	0.3	0.3	0.3	6.0	6299.5
BA%	51.1	40.8	50.2	41.2	54.5	25.6	30.2	25.9	100.0	37.5	20.0	50.0	100.0	60.0	50.9
Weekdays															
	11496	53	715	54	6	10	13	7	1	2	1	1	0	10	12368
(%)	92.9	0.4	5.8	0.4	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	
AB	5619	32	356	32	3	7	9	5	0	1	1	0	0	4	6069
AB%	48.9	59.2	49.8	58.8	45.5	74.4	69.8	74.1	0.0	62.5	80.0	50.0	0.0	40.0	49.1
BA	5876.5	21.8	359.3	22.3	3.0	2.5	4.0	1.8	1.0	0.8	0.3	0.3	0.3	6.0	6299.5
BA%	51.1	40.8	50.2	41.2	54.5	25.6	30.2	25.9	100.0	37.5	20.0	50.0	100.0	60.0	50.9

Weekend No complete days.

* - Incomplete

Released under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Daily Classes by Direction

DayClassSplit-1026 -- English (ENU)

Datasets:

Site: [SPC21-006] Pohuttukawa Street Woburn OS 101
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:43 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021,
Zone:
File: SPC21-006 0 2021-04-02 1143.EC1 (Plus B)
Identifier: PP51QZM4 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday April 2, 2021 (7.66615)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 30683 / 30683 (100.00%)

Released under the Local Government Official Information and Meetings Act

Daily Classes by Direction

DayClassSplit-1026

Site: SPC21-006.1.2NS
Description: Pohuttukawa Street Woburn OS 101
Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Monday, March 22, 2021

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	Total
Mon*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tue*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wed*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Thu*	347	3	4	0	0	4	0	0	0	0	0	0	0	0	358
(%)	96.9	0.8	1.1	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	180	0	2	0	0	0	0	0	0	0	0	0	0	0	182
AB%	51.9	0.0	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.8
BA	167.0	3.0	2.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	176.0
BA%	48.1	100.0	50.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.2
Fri	4633	55	215	18	1	42	7	1	0	0	1	0	0	1	4974
(%)	93.1	1.1	4.3	0.4	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	2184	11	100	5	1	4	2	0	0	0	1	0	0	1	2309
AB%	47.1	20.0	46.5	27.8	100.0	9.5	28.6	0.0	0.0	0.0	100.0	0.0	0.0	100.0	46.4
BA	2449.0	44.0	115.0	13.0	0.0	38.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2665.0
BA%	52.9	80.0	53.5	72.2	0.0	90.5	71.4	100.0	0.0	0.0	0.0	0.0	0.0	0.0	53.6
Sat	3402	64	70	3	0	21	3	0	0	0	0	1	0	0	3564
(%)	95.5	1.8	2.0	0.1	0.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	1736	22	31	0	0	1	1	0	0	0	0	0	0	0	1791
AB%	51.0	34.4	44.3	0.0	0.0	4.8	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.3
BA	1666.0	42.0	39.0	3.0	0.0	20.0	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1773.0
BA%	49.0	65.6	55.7	100.0	0.0	95.2	66.7	0.0	0.0	0.0	0.0	100.0	0.0	0.0	49.7
Sun	2507	48	57	0	1	15	1	0	1	0	0	0	0	0	2630
(%)	95.3	1.8	2.2	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	1265	15	19	0	0	0	0	0	0	0	0	0	0	0	1299
AB%	50.5	31.3	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.4
BA	1242.0	33.0	38.0	0.0	1.0	15.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1331.0
BA%	49.5	68.8	66.7	0.0	100.0	100.0	100.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	50.6

Average daily volume

Entire week	3514	56	114	7	1	26	4	0	0	0	0	0	0	0	3723
(%)	94.4	1.5	3.1	0.2	0.0	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	1728	16	50	2	0	2	1	0	0	0	0	0	0	0	1800
AB%	49.2	28.7	43.9	23.8	50.0	6.4	27.3	0.0	0.0	0.0	100.0	0.0	0.0	100.0	48.3
BA	1785.7	39.7	64.0	5.3	0.3	24.3	2.7	0.3	0.3	0.0	0.0	0.3	0.0	0.0	1923.0
BA%	50.8	71.3	56.1	76.2	50.0	93.6	72.7	100.0	100.0	0.0	0.0	100.0	0.0	0.0	51.7
Weekdays	4633	55	215	18	1	42	7	1	0	0	1	0	0	1	4974
(%)	93.1	1.1	4.3	0.4	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	2184	11	100	5	1	4	2	0	0	0	1	0	0	1	2309
AB%	47.1	20.0	46.5	27.8	100.0	9.5	28.6	0.0	0.0	0.0	100.0	0.0	0.0	100.0	46.4
BA	2449.0	44.0	115.0	13.0	0.0	38.0	5.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	2665.0
BA%	52.9	80.0	53.5	72.2	0.0	90.5	71.4	100.0	0.0	0.0	0.0	0.0	0.0	0.0	53.6
Weekend	2955	56	64	2	1	18	2	0	1	0	0	1	0	0	3097

(%)	95.4	1.8	2.1	0.0	0.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AB	1501	19	25	0	0	1	1	0	0	0	0	0	0	0	0	1545
AB%	50.8	33.0	39.4	0.0	0.0	2.8	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.9
BA	1454.0	37.5	38.5	1.5	0.5	17.5	1.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	1552.0	
BA%	49.2	67.0	60.6	100.0	100.0	97.2	75.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0	50.1	

* - Incomplete

Released under the Local Government Official Information and Meetings Act

Daily Classes by Direction

DayClassSplit-1026

Site: SPC21-006.1.2NS
Description: Pohuttukawa Street Woburn OS 101
Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Monday, March 29, 2021

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	Total
Mon	4190	67	203	13	4	20	2	3	0	0	0	0	0	1	4503
(%)	93.0	1.5	4.5	0.3	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
AB	2026	21	89	4	1	0	0	1	0	0	0	0	0	0	2142
AB%	48.4	31.3	43.8	30.8	25.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	47.6
BA	2164.0	46.0	114.0	9.0	3.0	20.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	2361.0
BA%	51.6	68.7	56.2	69.2	75.0	100.0	100.0	66.7	0.0	0.0	0.0	0.0	0.0	100.0	52.4
Tue	4395	61	185	21	4	28	2	2	1	0	3	1	0	1	4704
(%)	93.4	1.3	3.9	0.4	0.1	0.6	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	
AB	2054	11	90	9	3	5	0	0	1	0	0	0	0	0	273
AB%	46.7	18.0	48.6	42.9	75.0	17.9	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	46.2
BA	2341.0	50.0	95.0	12.0	1.0	23.0	2.0	2.0	0.0	0.0	3.0	1.0	0.0	1.0	2531.0
BA%	53.3	82.0	51.4	57.1	25.0	82.1	100.0	100.0	0.0	0.0	100.0	100.0	0.0	100.0	53.8
Wed	4389	56	193	13	2	22	2	2	0	0	0	1	0	2	4682
(%)	93.7	1.2	4.1	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	2076	15	97	6	2	2	0	0	0	0	0	1	0	1	2200
AB%	47.3	26.8	50.3	46.2	100.0	9.1	0.0	0.0	0.0	0.0	0.0	100.0	0.0	50.0	47.0
BA	2313.0	41.0	96.0	7.0	0.0	20.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	2482.0
BA%	52.7	73.2	49.7	53.8	0.0	90.9	100.0	100.0	0.0	0.0	0.0	0.0	0.0	50.0	53.0
Thu	4421	85	127	14	0	25	5	9	0	0	0	2	0	1	4689
(%)	94.3	1.8	2.7	0.3	0.0	0.5	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	
AB	2150	14	63	5	0	3	0	2	0	0	0	0	0	0	2237
AB%	48.6	16.5	49.6	35.7	0.0	12.0	0.0	22.2	0.0	0.0	0.0	0.0	0.0	0.0	47.7
BA	2271.0	71.0	64.0	9.0	0.0	22.0	5.0	7.0	0.0	0.0	0.0	2.0	0.0	1.0	2452.0
BA%	51.4	83.5	50.4	64.3	0.0	88.0	100.0	77.8	0.0	0.0	0.0	100.0	0.0	100.0	52.3
Fri*	552	18	8	0	0	0	1	0	0	0	0	0	0	0	579
(%)	95.3	3.1	1.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	270	4	5	0	0	0	0	0	0	0	0	0	0	0	279
AB%	48.9	22.2	62.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.2
BA	282.0	14.0	3.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	300.0
BA%	51.1	77.8	37.5	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.8
Sat*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sun*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
AB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AB%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BA%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Average daily volume

Entire week															
	4349	67	177	15	3	24	3	4	0	0	1	1	0	1	4645
(%)	93.6	1.4	3.8	0.3	0.1	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
AB	2077	15	85	6	2	3	0	1	0	0	0	0	0	0	2188
AB%	47.7	22.7	47.9	39.3	60.0	10.5	0.0	18.8	100.0	0.0	0.0	25.0	0.0	20.0	47.1
BA	2272.3	52.0	92.3	9.3	1.0	21.3	2.8	3.3	0.0	0.0	0.8	0.8	0.0	1.0	2456.5
BA%	52.3	77.3	52.1	60.7	40.0	89.5	100.0	81.3	0.0	0.0	100.0	75.0	0.0	80.0	52.9
Weekdays															
	4349	67	177	15	3	24	3	4	0	0	1	1	0	1	4645
(%)	93.6	1.4	3.8	0.3	0.1	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
AB	2077	15	85	6	2	3	0	1	0	0	0	0	0	0	2188
AB%	47.7	22.7	47.9	39.3	60.0	10.5	0.0	18.8	100.0	0.0	0.0	25.0	0.0	20.0	47.1
BA	2272.3	52.0	92.3	9.3	1.0	21.3	2.8	3.3	0.0	0.0	0.8	0.8	0.0	1.0	2456.5
BA%	52.3	77.3	52.1	60.7	40.0	89.5	100.0	81.3	0.0	0.0	100.0	75.0	0.0	80.0	52.9

Weekend No complete days.

* - Incomplete

Released under the Local Government Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics

SpeedStat-1015 -- English (ENU)

Datasets:

Site: [CEN0108] Knights Road East Bound
Attribute:
Direction: 2 - East bound, A trigger first. **Lane:** 2
Survey Duration: 19:04 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1152.EC2 (Plus B)
Identifier: PS44DDP3 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday April 2, 2021 (7.69948)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = East, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 27532 / 27533 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1015

Site: CEN0108.2.0E
Description: Knights Road East Bound
Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 27532

Posted speed limit = 50 km/h, Exceeding = 3286 (11.94%), Mean Exceeding = 52.52 km/h

Maximum = 76.9 km/h, Minimum = 5.5 km/h, Mean = 44.7 km/h

85% Speed = 49.32 km/h, 95% Speed = 52.20 km/h, Median = 45.18 km/h

16 km/h Pace = 37 - 53, Number in Pace = 25051 (90.99%)

Variance = 30.71, Standard Deviation = 5.54 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	12 0.044%	12 0.044%	27520 100.0%	0.00	0.00	0.00
8 - 16	84 0.305%	96 0.349%	27436 99.65%	0.00	0.00	0.00
16 - 24	230 0.835%	326 1.184%	27206 98.82%	0.00	0.00	0.00
24 - 32	336 1.220%	662 2.404%	26870 97.60%	0.00	0.00	0.00
32 - 40	3258 11.83%	3920 14.24%	23612 85.76%	0.00	0.00	0.00
40 - 48	17614 63.98%	21534 78.21%	5998 21.79%	0.00	0.00	0.00
48 - 56	5761 20.92%	27295 99.14%	237 0.861%	0.00	0.00	0.00
56 - 64	211 0.766%	27506 99.91%	26 0.094%	0.00	0.00	0.00
64 - 72	24 0.087%	27530 100.0%	2 0.007%	0.00	0.00	0.00
72 - 80	2 0.007%	27532 100.0%	0 0.000%	0.00	0.00	0.00
80 - 89	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
89 - 97	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
97 - 105	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
105 - 113	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	27532 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	24246 88.1%	3286 11.9%

Released under the Local Government Information and Meetings Act

MetroCount Traffic Executive Speed Statistics

SpeedStat-1014 -- English (ENU)

Datasets:

Site: [CEN01038] Knights Road West bound
Attribute:
Direction: 4 - West bound, A trigger first. **Lane:** 1
Survey Duration: 19:05 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1148.EC1 (Plus)
Identifier: DG060PZX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday April 2, 2021 (7.69605)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = West Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 14009 / 14009 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1014

Site: CEN01038.1.0W
Description: Knights Road West bound
Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 14009

Posted speed limit = 50 km/h, Exceeding = 2792 (19.93%), Mean Exceeding = 53.04 km/h

Maximum = 96.7 km/h, Minimum = 6.5 km/h, Mean = 45.6 km/h

85% Speed = 50.94 km/h, 95% Speed = 54.00 km/h, Median = 46.08 km/h

16 km/h Pace = 38 - 54, Number in Pace = 12330 (88.01%)

Variance = 38.87, Standard Deviation = 6.23 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	1 0.007%	1 0.007%	14008 100.0%	0.00	0.00	0.00
8 - 16	53 0.378%	54 0.385%	13955 99.61%	0.00	0.00	0.00
16 - 24	145 1.035%	199 1.421%	13810 98.58%	0.00	0.00	0.00
24 - 32	167 1.192%	366 2.613%	13643 97.39%	0.00	0.00	0.00
32 - 40	1428 10.19%	1794 12.81%	12215 87.19%	0.00	0.00	0.00
40 - 48	7813 55.77%	9607 68.58%	4402 31.42%	0.00	0.00	0.00
48 - 56	4080 29.12%	13687 97.70%	322 2.299%	0.00	0.00	0.00
56 - 64	292 2.084%	13979 99.79%	30 0.214%	0.00	0.00	0.00
64 - 72	23 0.164%	14002 100.0%	7 0.050%	0.00	0.00	0.00
72 - 80	5 0.036%	14007 100.0%	2 0.014%	0.00	0.00	0.00
80 - 89	1 0.007%	14008 100.0%	1 0.007%	0.00	0.00	0.00
89 - 97	0 0.000%	14008 100.0%	1 0.007%	0.00	0.00	0.00
97 - 105	1 0.007%	14009 100.0%	0 0.000%	0.00	0.00	0.00
105 - 113	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	14009 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	11217 80.1%	2792 19.9%

MetroCount Traffic Executive Speed Statistics

SpeedStat-1016 -- English (ENU)

Datasets:

Site: [CEN01092] Oxford Terrace Waterloo OS#46
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:54 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021,
Zone:
File: CEN01092 0 2021-04-02 1137.EC1 (Plus)
Identifier: S414Z5XX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday April 2, 2021 (7.65435)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 79914 / 79937 (99.97%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1016

Site: CEN01092.1.2NS
Description: Oxford Terrace Waterloo OS#46
Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 79914

Posted speed limit = 50 km/h, Exceeding = 896 (1.121%), Mean Exceeding = 53.15 km/h

Maximum = 94.7 km/h, Minimum = 5.1 km/h, Mean = 37.1 km/h

85% Speed = 43.20 km/h, 95% Speed = 46.26 km/h, Median = 38.16 km/h

16 km/h Pace = 31 - 47, Number in Pace = 66885 (83.70%)

Variance = 52.10, Standard Deviation = 7.22 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	305 0.382%	305 0.382%	79609 99.62%	0.00	0.00	0.00
8 - 16	1833 2.294%	2138 2.675%	77776 97.32%	0.00	0.00	0.00
16 - 24	2369 2.964%	4507 5.640%	75407 94.36%	0.00	0.00	0.00
24 - 32	8189 10.25%	12696 15.89%	67218 84.11%	0.00	0.00	0.00
32 - 40	40697 50.93%	53393 66.81%	26521 33.19%	0.00	0.00	0.00
40 - 48	24729 30.94%	78122 97.76%	1792 2.242%	0.00	0.00	0.00
48 - 56	1667 2.086%	79789 99.84%	125 0.156%	0.00	0.00	0.00
56 - 64	107 0.134%	79896 100.0%	18 0.023%	0.00	0.00	0.00
64 - 72	12 0.015%	79908 100.0%	6 0.008%	0.00	0.00	0.00
72 - 80	5 0.006%	79913 100.0%	1 0.001%	0.00	0.00	0.00
80 - 89	0 0.000%	79913 100.0%	1 0.001%	0.00	0.00	0.00
89 - 97	1 0.001%	79914 100.0%	0 0.000%	0.00	0.00	0.00
97 - 105	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
105 - 113	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	79914 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	79018 98.9%	896 1.1%

MetroCount Traffic Executive Speed Statistics

SpeedStat-1017 -- English (ENU)

Datasets:

Site: [SPC21-006] Pohuttukawa Street Woburn OS 101
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:43 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021,
Zone:
File: SPC21-006 0 2021-04-02 1143.EC1 (Plus B)
Identifier: PP51QZM4 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday April 2, 2021 (7.66615)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 30683 / 30683 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1017

Site: SPC21-006.1.2NS
Description: Pohuttukawa Street Woburn OS 101
Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 30683

Posted speed limit = 50 km/h, Exceeding = 4756 (15.50%), Mean Exceeding = 53.52 km/h

Maximum = 112.1 km/h, Minimum = 6.2 km/h, Mean = 44.2 km/h

85% Speed = 50.04 km/h, 95% Speed = 53.64 km/h, Median = 44.82 km/h

16 km/h Pace = 37 - 53, Number in Pace = 25236 (82.25%)

Variance = 47.48, Standard Deviation = 6.89 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	2 0.007%	2 0.007%	30681 100.0%	0.00	0.00	0.00
8 - 16	40 0.130%	42 0.137%	30641 99.86%	0.00	0.00	0.00
16 - 24	285 0.929%	327 1.066%	30356 98.93%	0.00	0.00	0.00
24 - 32	1477 4.814%	1804 5.879%	28879 94.12%	0.00	0.00	0.00
32 - 40	4770 15.55%	6574 21.43%	24109 78.57%	0.00	0.00	0.00
40 - 48	16490 53.74%	23064 75.17%	7619 24.83%	0.00	0.00	0.00
48 - 56	6918 22.55%	29982 97.72%	701 2.285%	0.00	0.00	0.00
56 - 64	581 1.894%	30563 99.61%	120 0.391%	0.00	0.00	0.00
64 - 72	72 0.235%	30635 99.84%	48 0.156%	0.00	0.00	0.00
72 - 80	34 0.111%	30669 100.0%	14 0.046%	0.00	0.00	0.00
80 - 89	8 0.026%	30677 100.0%	6 0.020%	0.00	0.00	0.00
89 - 97	2 0.007%	30679 100.0%	4 0.013%	0.00	0.00	0.00
97 - 105	1 0.003%	30680 100.0%	3 0.010%	0.00	0.00	0.00
105 - 113	3 0.010%	30683 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	30683 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	25927 84.5%	4756 15.5%

MetroCount Traffic Executive Speed Statistics

SpeedStat-1032 -- English (ENU)

Datasets:

Site: [PET06081] Richmond Street Petone OS#82
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 20:18 Thursday, March 25, 2021 => 12:06 Friday, April 2, 2021,
Zone:
File: PET06081 0 2021-04-02 1206.EC1 (Plus B)
Identifier: PP84XVQR MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 20:19 Thursday, March 25, 2021 => 12:06 Friday April 2, 2021 (7.6578)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 7655 / 7663 (99.90%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1032

Site: PET06081.1.2NS
Description: Richmond Street Petone OS#82
Filter time: 20:19 Thursday, March 25, 2021 => 12:06 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 7655

Posted speed limit = 50 km/h, Exceeding = 269 (3.514%), Mean Exceeding = 54.20 km/h

Maximum = 78.9 km/h, Minimum = 5.3 km/h, Mean = 34.6 km/h

85% Speed = 43.38 km/h, 95% Speed = 48.42 km/h, Median = 35.10 km/h

16 km/h Pace = 28 - 44, Number in Pace = 5016 (65.53%)

Variance = 80.91, Standard Deviation = 9.00 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	23 0.300%	23 0.300%	7632 99.70%	0.00	0.00	0.00
8 - 16	224 2.926%	247 3.227%	7408 96.77%	0.00	0.00	0.00
16 - 24	689 9.001%	936 12.23%	6719 87.77%	0.00	0.00	0.00
24 - 32	1812 23.67%	2748 35.90%	4907 64.10%	0.00	0.00	0.00
32 - 40	2905 37.95%	5653 73.85%	2002 26.15%	0.00	0.00	0.00
40 - 48	1607 20.99%	7260 94.84%	395 5.160%	0.00	0.00	0.00
48 - 56	336 4.389%	7596 99.23%	59 0.771%	0.00	0.00	0.00
56 - 64	45 0.588%	7641 99.82%	14 0.183%	0.00	0.00	0.00
64 - 72	11 0.144%	7652 100.0%	3 0.039%	0.00	0.00	0.00
72 - 80	3 0.039%	7655 100.0%	0 0.000%	0.00	0.00	0.00
80 - 89	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
89 - 97	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
97 - 105	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
105 - 113	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	7655 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	7386 96.5%	269 3.5%

Released under the Local Government Information and Meetings Act

MetroCount Traffic Executive Speed Statistics

SpeedStat-1033 -- English (ENU)

Datasets:

Site: [SPC21-009] Richmond Street Petone OS#97
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 20:21 Thursday, March 25, 2021 => 12:02 Friday, April 2, 2021,
Zone:
File: SPC21-009 0 2021-04-02 1202.EC1 (Plus)
Identifier: DG07NQ1E MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 20:22 Thursday, March 25, 2021 => 12:02 Friday April 2, 2021 (7.65307)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = North Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 7899 / 7899 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics

SpeedStat-1033

Site: SPC21-009.1.2NS
Description: Richmond Street Petone OS#97
Filter time: 20:22 Thursday, March 25, 2021 => 12:02 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 7899

Posted speed limit = 50 km/h, Exceeding = 1124 (14.23%), Mean Exceeding = 54.46 km/h

Maximum = 87.8 km/h, Minimum = 5.3 km/h, Mean = 42.1 km/h

85% Speed = 49.68 km/h, 95% Speed = 54.54 km/h, Median = 42.66 km/h

16 km/h Pace = 35 - 51, Number in Pace = 5751 (72.81%)

Variance = 73.50, Standard Deviation = 8.57 km/h

Speed Bins (Partial days)

Speed	Bin	Below	Above	Energy	vMult	n * vMult
0 - 8	15 0.190%	15 0.190%	7884 99.81%	0.00	0.00	0.00
8 - 16	70 0.886%	85 1.076%	7814 98.92%	0.00	0.00	0.00
16 - 24	212 2.684%	297 3.760%	7602 96.24%	0.00	0.00	0.00
24 - 32	494 6.254%	791 10.01%	7108 89.99%	0.00	0.00	0.00
32 - 40	2103 26.62%	2894 36.64%	5005 63.36%	0.00	0.00	0.00
40 - 48	3408 43.14%	6302 79.78%	1597 20.22%	0.00	0.00	0.00
48 - 56	1352 17.12%	7654 96.90%	245 3.102%	0.00	0.00	0.00
56 - 64	197 2.494%	7851 99.39%	48 0.608%	0.00	0.00	0.00
64 - 72	35 0.443%	7886 99.84%	13 0.165%	0.00	0.00	0.00
72 - 80	10 0.127%	7896 100.0%	3 0.038%	0.00	0.00	0.00
80 - 89	3 0.038%	7899 100.0%	0 0.000%	0.00	0.00	0.00
89 - 97	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
97 - 105	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
105 - 113	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
113 - 121	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
121 - 129	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
129 - 137	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
137 - 145	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
145 - 153	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00
153 - 161	0 0.000%	7899 100.0%	0 0.000%	0.00	0.00	0.00

Total Speed Rating = 0.00

Total Moving Energy (Estimated) = 0.00

Speed limit fields (Partial days)

Limit	Below	Above
0 50 (PSL)	6775 85.8%	1124 14.2%

Released under the Local Government Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1022 -- English (ENU)

Datasets:

Site: [CEN0108] Knights Road East Bound
Attribute:
Direction: 2 - East bound, A trigger first. **Lane:** 2
Survey Duration: 19:04 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1152.EC2 (Plus B)
Identifier: PS44DDP3 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday April 2, 2021 (7.69948)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = East, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 27532 / 27533 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1022

Site: CEN0108.2.0E
Description: Knights Road East Bound
Filter time: 19:05 Thursday, March 25, 2021 => 11:52 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 27532

Posted speed limit = 50 km/h, Exceeding = 3286 (11.94%), Mean Exceeding = 52.52 km/h

Maximum = 76.9 km/h, Minimum = 5.5 km/h, Mean = 44.7 km/h

85% Speed = 49.32 km/h, 95% Speed = 52.20 km/h, Median = 45.18 km/h

16 km/h Pace = 37 - 53, Number in Pace = 25051 (90.99%)

Variance = 30.71, Standard Deviation = 5.54 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	75 0.272%	31.8	62.9	45.4	45.4	51.1	55.3	14 18.67%
0100	32 0.116%	34.0	76.9	48.9	48.3	54.6	70.4	10 31.25%
0200	24 0.087%	40.3	63.3	48.3	46.4	53.0	62.2	7 29.17%
0300	20 0.073%	29.5	58.7	45.3	46.1	48.4	58.5	2 10.00%
0400	24 0.087%	10.5	53.7	39.5	44.4	50.0	53.1	3 12.50%
0500	57 0.207%	19.0	60.2	46.1	47.5	52.6	54.9	17 29.82%
0600	334 1.213%	17.6	69.4	46.6	46.7	52.7	56.6	96 28.74%
0700	830 3.015%	15.2	70.1	45.1	45.4	50.0	53.3	128 15.42%
0800	1854 6.734%	16.6	67.3	43.6	44.1	48.1	50.9	124 6.688%
0900	1395 5.067%	8.4	59.3	45.4	45.7	49.9	52.6	196 14.05%
1000	1548 5.623%	13.0	65.2	45.2	45.4	49.7	52.4	204 13.18%
1100	1746 6.342%	10.6	76.7	45.4	45.7	50.0	52.7	262 15.01%
1200	1828 6.640%	15.1	69.5	45.4	45.7	49.7	52.4	251 13.73%
1300	1774 6.443%	11.2	68.0	45.6	45.7	49.9	52.6	255 14.37%
1400	1959 7.115%	15.3	69.2	45.3	45.7	49.7	52.4	257 13.12%
1500	2847 10.34%	6.3	72.0	43.8	44.3	48.6	51.1	236 8.289%
1600	2999 10.89%	6.0	61.8	44.7	45.2	49.3	51.8	342 11.40%
1700	3045 11.06%	5.5	60.2	43.1	44.5	48.4	50.9	249 8.177%
1800	1799 6.534%	7.4	71.1	45.4	45.5	49.7	52.6	235 13.06%
1900	1261 4.580%	11.6	70.2	44.8	45.0	49.3	52.4	148 11.74%
2000	1054 3.828%	6.0	65.4	44.3	44.5	48.8	51.5	107 10.15%
2100	596 2.165%	13.8	66.8	44.6	45.0	49.3	52.6	69 11.58%
2200	284 1.032%	18.1	72.0	45.8	45.4	51.1	55.4	47 16.55%
2300	147 0.534%	11.1	60.2	45.0	45.7	50.9	54.2	27 18.37%
----	27532 100 0%	5.5	76.9	44.7	45.2	49.3	52.2	3286 11.94%

Released under the Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1020 -- English (ENU)

Datasets:

Site: [CEN01038] Knights Road West bound
Attribute:
Direction: 4 - West bound, A trigger first. **Lane:** 1
Survey Duration: 19:05 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021,
Zone:
File: CEN01038 0 2021-04-02 1148.EC1 (Plus)
Identifier: DG060PZX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday April 2, 2021 (7.69605)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North, East, South, West (bound), P = West Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 14009 / 14009 (100.00%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1020

Site: CEN01038.1.0W
Description: Knights Road West bound
Filter time: 19:06 Thursday, March 25, 2021 => 11:48 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(NESW) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 14009

Posted speed limit = 50 km/h, Exceeding = 2792 (19.93%), Mean Exceeding = 53.04 km/h

Maximum = 96.7 km/h, Minimum = 6.5 km/h, Mean = 45.6 km/h

85% Speed = 50.94 km/h, 95% Speed = 54.00 km/h, Median = 46.08 km/h

16 km/h Pace = 38 - 54, Number in Pace = 12330 (88.01%)

Variance = 38.87, Standard Deviation = 6.23 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	14 0.100%	27.5	57.3	46.4	48.4	55.7	57.3	4 28.57%
0100	11 0.079%	20.8	54.9	46.6	47.9	52.7	54.9	4 36.36%
0200	9 0.064%	41.0	58.3	47.0	47.3	53.9	58.3	1 11.11%
0300	13 0.093%	40.4	59.0	47.7	47.7	54.1	59.0	3 23.08%
0400	26 0.186%	15.6	70.4	47.0	49.1	54.6	65.3	12 46.15%
0500	157 1.121%	18.4	70.2	49.1	49.1	55.1	59.3	66 42.04%
0600	494 3.526%	16.5	96.7	48.3	48.2	53.1	56.4	165 33.40%
0700	1042 7.438%	17.8	78.6	46.5	46.6	51.5	55.2	244 23.42%
0800	1533 10.94%	13.6	75.6	44.6	44.6	49.8	52.7	210 13.70%
0900	975 6.960%	8.1	76.4	45.2	45.9	50.3	53.6	168 17.23%
1000	744 5.311%	9.1	63.5	45.6	46.2	50.9	53.6	146 19.62%
1100	743 5.304%	10.8	71.9	45.7	45.9	50.9	54.3	157 21.13%
1200	852 6.082%	10.1	63.0	45.4	45.9	50.6	53.9	153 17.96%
1300	857 6.117%	10.4	65.3	45.7	46.4	51.1	54.0	188 21.94%
1400	1044 7.452%	9.0	62.6	45.1	45.7	50.4	53.6	176 16.86%
1500	1263 9.016%	6.5	70.2	44.9	45.2	50.4	53.3	221 17.50%
1600	1170 8.352%	12.0	85.7	46.4	47.0	51.3	54.2	275 23.50%
1700	1216 8.680%	13.9	76.9	45.3	45.9	50.9	54.2	230 18.91%
1800	827 5.903%	13.0	64.5	45.9	46.4	50.9	53.8	175 21.16%
1900	479 3.419%	16.7	58.0	45.4	45.9	50.8	53.5	86 17.95%
2000	265 1.892%	26.1	63.9	46.4	46.6	51.1	55.1	55 20.75%
2100	165 1.178%	18.2	71.1	45.5	46.3	50.4	54.2	28 16.97%
2200	74 0.528%	36.5	63.5	46.5	45.9	51.8	58.9	18 24.32%
2300	36 0.257%	15.0	54.1	41.2	44.4	50.8	54.0	7 19.44%
----	14009 100 0%	6.5	96.7	45.6	46.1	50.9	54.0	2792 19.93%

Released under the Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1024 -- English (ENU)

Datasets:

Site: [CEN01092] Oxford Terrace Waterloo OS#46
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:54 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021,
Zone:
File: CEN01092 0 2021-04-02 1137.EC1 (Plus)
Identifier: S414Z5XX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday April 2, 2021 (7.65435)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 38973 / 79937 (48.75%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1024

Site: CEN01092.1.2NS
Description: Oxford Terrace Waterloo OS#46
Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(N) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 38973

Posted speed limit = 50 km/h, Exceeding = 544 (1.396%), Mean Exceeding = 53.33 km/h

Maximum = 94.7 km/h, Minimum = 5.1 km/h, Mean = 36.6 km/h

85% Speed = 43.38 km/h, 95% Speed = 46.80 km/h, Median = 38.16 km/h

16 km/h Pace = 31 - 47, Number in Pace = 31128 (79.87%)

Variance = 70.64, Standard Deviation = 8.40 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	101 0.259%	26.5	57.4	42.2	41.4	49.1	52.7	12 11.88%
0100	54 0.139%	30.1	61.4	41.8	41.4	48.3	51.3	5 9.259%
0200	70 0.180%	27.0	61.5	41.2	39.9	47.3	56.2	6 8.571%
0300	59 0.151%	25.9	63.2	42.4	42.7	48.6	56.9	5 8.475%
0400	102 0.262%	29.2	58.6	42.3	41.8	46.8	51.6	6 5.882%
0500	500 1.283%	12.5	64.3	42.3	42.7	47.9	51.4	33 6.600%
0600	1454 3.731%	16.3	59.1	39.9	40.0	44.6	47.9	23 1.582%
0700	3456 8.868%	5.3	61.5	34.0	35.3	41.4	44.8	31 0.897%
0800	4533 11.63%	5.1	94.7	24.7	23.6	38.3	42.5	18 0.397%
0900	2971 7.623%	5.5	63.7	38.2	38.7	43.4	46.4	33 1.111%
1000	2524 6.476%	20.7	63.7	39.2	39.4	44.1	46.9	36 1.426%
1100	2398 6.153%	7.0	62.4	39.2	39.2	43.9	47.3	39 1.626%
1200	2284 5.860%	8.4	66.2	39.1	39.2	43.9	46.8	37 1.620%
1300	2169 5.565%	12.8	65.8	38.8	39.1	43.9	47.0	33 1.521%
1400	2577 6.612%	13.4	70.0	38.4	38.7	43.2	46.4	27 1.048%
1500	3225 8.275%	5.1	69.1	34.5	37.1	42.5	45.7	18 0.558%
1600	2804 7.195%	9.2	61.4	38.5	38.7	43.6	46.6	32 1.141%
1700	2669 6.848%	6.7	78.1	38.7	38.9	43.6	46.8	39 1.461%
1800	1864 4.783%	14.7	62.5	39.8	39.6	44.1	47.3	27 1.448%
1900	1287 3.302%	14.3	61.1	39.7	39.6	44.6	47.1	25 1.943%
2000	850 2.181%	10.4	57.3	39.9	40.0	44.8	48.4	21 2.471%
2100	529 1.357%	25.0	63.4	40.1	40.0	44.8	49.3	19 3.592%
2200	332 0.852%	23.3	66.8	41.0	40.9	45.9	48.1	9 2.711%
2300	161 0.413%	18.6	57.4	40.9	40.5	46.6	52.2	10 6.211%
----	38973 100 0%	5.1	94.7	36.6	38.2	43.4	46.8	544 1.396%

Released under the Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1025 -- English (ENU)

Datasets:

Site: [CEN01092] Oxford Terrace Waterloo OS#46
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:54 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021,
Zone:
File: CEN01092 0 2021-04-02 1137.EC1 (Plus)
Identifier: S414Z5XX MC56-L5 [MC55] (c)Microcom 19Oct04
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday April 2, 2021 (7.65435)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: South (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 40941 / 79937 (51.22%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1025

Site: CEN01092.1.2NS
Description: Oxford Terrace Waterloo OS#46
Filter time: 19:55 Thursday, March 25, 2021 => 11:37 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(S) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 40941

Posted speed limit = 50 km/h, Exceeding = 352 (0.860%), Mean Exceeding = 52.88 km/h

Maximum = 78.2 km/h, Minimum = 5.2 km/h, Mean = 37.6 km/h

85% Speed = 42.84 km/h, 95% Speed = 45.90 km/h, Median = 37.98 km/h

16 km/h Pace = 30 - 46, Number in Pace = 35822 (87.50%)

Variance = 33.97, Standard Deviation = 5.83 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	120 0.293%	15.9	53.9	39.9	39.8	45.5	49.3	3 2.500%
0100	71 0.173%	15.1	65.5	40.9	40.1	48.0	56.1	7 9.859%
0200	50 0.122%	22.9	70.4	39.0	39.5	44.2	48.0	1 2.000%
0300	49 0.120%	29.0	55.2	40.6	40.1	46.9	51.0	3 6.122%
0400	40 0.098%	30.8	54.6	41.5	41.6	47.5	52.9	3 7.500%
0500	114 0.278%	28.6	50.1	39.5	40.3	45.2	47.9	1 0.877%
0600	504 1.231%	13.6	54.8	39.3	39.6	43.9	47.5	11 2.183%
0700	1316 3.214%	6.5	58.2	37.6	38.2	42.6	45.9	14 1.064%
0800	2737 6.685%	5.2	59.6	34.2	35.5	40.7	44.3	13 0.475%
0900	2252 5.501%	5.5	52.5	38.7	38.9	43.6	46.4	17 0.755%
1000	2345 5.728%	8.9	60.1	38.7	38.9	43.4	46.3	30 1.279%
1100	2595 6.338%	7.9	53.8	38.8	38.9	43.7	46.4	22 0.848%
1200	2758 6.737%	8.4	78.2	38.7	38.7	43.4	45.9	18 0.653%
1300	2656 6.487%	8.2	77.0	37.9	38.3	43.0	45.7	23 0.866%
1400	3002 7.333%	6.7	57.0	37.5	38.0	42.8	45.5	19 0.633%
1500	4011 9.797%	6.0	69.5	35.7	36.5	41.9	44.8	20 0.499%
1600	4356 10.64%	8.8	59.5	37.3	37.8	42.5	45.4	18 0.413%
1700	4381 10.70%	7.6	78.0	36.6	37.1	41.9	44.8	16 0.365%
1800	2702 6.600%	13.8	64.6	38.8	38.7	43.5	46.3	23 0.851%
1900	1799 4.394%	14.3	66.1	38.8	38.7	43.4	46.4	28 1.556%
2000	1458 3.561%	18.2	56.4	38.8	38.9	43.6	46.6	20 1.372%
2100	907 2.215%	8.6	63.0	39.0	39.1	43.7	47.2	21 2.315%
2200	476 1.163%	13.9	62.6	39.7	39.6	44.8	48.8	13 2.731%
2300	242 0.591%	24.7	62.2	39.7	39.6	44.8	48.4	8 3.306%
----	40941 100 0%	5.2	78.2	37.6	38.0	42.8	45.9	352 0.860%

Released under the Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1027 -- English (ENU)

Datasets:

Site: [SPC21-006] Pohuttukawa Street Woburn OS 101
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:43 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021,
Zone:
File: SPC21-006 0 2021-04-02 1143.EC1 (Plus B)
Identifier: PP51QZM4 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday April 2, 2021 (7.66615)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: North (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 14612 / 30683 (47.62%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1027

Site: SPC21-006.1.2NS
Description: Pohuttukawa Street Woburn OS 101
Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(N) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 14612

Posted speed limit = 50 km/h, Exceeding = 2004 (13.71%), Mean Exceeding = 53.36 km/h

Maximum = 112.1 km/h, Minimum = 6.2 km/h, Mean = 43.6 km/h

85% Speed = 49.68 km/h, 95% Speed = 53.28 km/h, Median = 44.46 km/h

16 km/h Pace = 37 - 53, Number in Pace = 11828 (80.95%)

Variance = 49.91, Standard Deviation = 7.06 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	50 0.342%	37.0	83.4	49.1	47.9	55.2	60.5	18 36.00%
0100	41 0.281%	27.1	86.8	48.1	47.0	54.4	75.1	12 29.27%
0200	22 0.151%	36.5	80.3	49.4	48.1	54.1	77.4	9 40.91%
0300	24 0.164%	38.3	73.1	48.9	48.5	56.1	69.9	8 33.33%
0400	26 0.178%	24.7	73.8	48.0	49.6	54.7	69.5	13 50.00%
0500	80 0.547%	15.6	58.0	45.8	46.6	52.4	56.0	24 30.00%
0600	244 1.670%	18.7	60.5	45.6	46.0	51.5	54.0	50 20.49%
0700	692 4.736%	19.4	63.6	44.6	44.8	49.5	52.4	86 12.43%
0800	1227 8.397%	13.5	60.8	41.8	42.3	48.1	51.4	87 7.090%
0900	901 6.166%	14.4	70.6	43.0	44.1	49.3	53.5	114 12.65%
1000	885 6.057%	12.2	62.2	42.2	43.9	50.1	53.6	137 15.48%
1100	973 6.659%	14.0	79.1	42.6	44.1	49.5	52.9	126 12.95%
1200	963 6.590%	9.7	62.3	42.4	43.9	49.1	52.2	96 9.969%
1300	929 6.358%	20.4	74.1	42.4	43.9	49.7	53.4	134 14.42%
1400	1094 7.487%	10.4	72.5	43.7	44.5	49.3	52.4	136 12.43%
1500	1297 8.876%	6.2	112.1	41.9	42.8	48.4	51.7	122 9.406%
1600	1310 8.965%	20.6	64.9	44.9	45.2	50.0	53.0	201 15.34%
1700	1239 8.479%	18.9	79.8	44.0	44.5	49.5	52.7	152 12.27%
1800	918 6.283%	17.2	76.1	45.0	45.4	50.4	54.4	155 16.88%
1900	650 4.448%	15.9	64.6	45.1	45.5	50.0	53.8	97 14.92%
2000	452 3.093%	19.2	65.5	45.4	45.4	50.9	54.5	86 19.03%
2100	306 2.094%	18.3	84.8	45.9	46.1	51.1	55.6	61 19.93%
2200	190 1.300%	22.2	74.3	47.7	46.7	53.2	59.5	54 28.42%
2300	99 0.678%	16.5	96.4	46.5	46.6	52.7	56.2	26 26.26%
----	14612 100 0%	6.2	112.1	43.6	44.5	49.7	53.3	2004 13.71%

Released under the Official Information and Meetings Act

MetroCount Traffic Executive Speed Statistics by Hour

SpeedStatHour-1028 -- English (ENU)

Datasets:

Site: [SPC21-006] Pohuttukawa Street Woburn OS 101
Attribute:
Direction: 7 - North bound A>B, South bound B>A. **Lane:** 1
Survey Duration: 19:43 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021,
Zone:
File: SPC21-006 0 2021-04-02 1143.EC1 (Plus B)
Identifier: PP51QZM4 MC5900-X13 (c)MetroCount 09Nov16
Algorithm: Factory default axle (v5.06)
Data type: Axle sensors - Paired (Class/Speed/Count)

Profile:

Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday April 2, 2021 (7.66615)
Included classes: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14
Speed range: 5 - 160 km/h.
Direction: South (bound), P = North, Lane = 0-16
Separation: Headway > 0 sec, Span 0 - 91.44 metre
Name: Default Profile
Scheme: Vehicle classification (TNZ 1999)
Units: Metric (metre, kilometre, m/s, km/h kg, tonne)
In profile: Vehicles = 16071 / 30683 (52.38%)

Released under the Local Government Official Information and Meetings Act

Speed Statistics by Hour

SpeedStatHour-1028

Site: SPC21-006.1.2NS
Description: Pohuttukawa Street Woburn OS 101
Filter time: 19:44 Thursday, March 25, 2021 => 11:43 Friday, April 2, 2021
Scheme: Vehicle classification (TNZ 1999)
Filter: Cls(1-14) Dir(S) Sp(5,160) Headway(>0) Span(0 - 91.44) Lane(0-16)

Vehicles = 16071

Posted speed limit = 50 km/h, Exceeding = 2752 (17.12%), Mean Exceeding = 53.63 km/h

Maximum = 112.1 km/h, Minimum = 11.9 km/h, Mean = 44.8 km/h

85% Speed = 50.40 km/h, 95% Speed = 54.00 km/h, Median = 45.18 km/h

16 km/h Pace = 37 - 53, Number in Pace = 13414 (83.47%)

Variance = 44.62, Standard Deviation = 6.68 km/h

Hour Bins (Partial days)

Time	Bin	Min	Max	Mean	Median	85%	95%	>PSL 50 km/h
0000	64 0.398%	32.2	72.2	49.2	49.4	54.5	63.8	29 45.31%
0100	30 0.187%	37.1	65.3	48.8	47.4	53.9	62.0	10 33.33%
0200	37 0.230%	35.8	96.8	50.1	48.2	53.3	79.8	14 37.84%
0300	31 0.193%	38.8	67.5	51.8	52.0	58.2	63.6	20 64.52%
0400	61 0.380%	15.1	70.6	46.9	47.3	53.5	65.4	18 29.51%
0500	227 1.412%	28.6	70.2	49.1	49.5	54.9	59.6	102 44.93%
0600	547 3.404%	21.6	72.8	49.0	49.5	53.5	57.5	249 45.52%
0700	1382 8.599%	22.7	72.7	46.4	46.6	51.1	54.5	296 21.42%
0800	1745 10.86%	16.3	62.5	42.9	43.2	48.6	51.8	153 8.768%
0900	1128 7.019%	14.6	81.3	43.8	44.4	49.3	52.5	137 12.15%
1000	973 6.054%	14.5	70.1	43.1	44.6	50.0	53.3	144 14.80%
1100	975 6.067%	12.8	77.1	43.3	44.5	49.5	52.9	124 12.72%
1200	910 5.662%	15.4	77.9	43.4	44.8	49.9	53.3	130 14.29%
1300	887 5.519%	17.0	74.1	43.7	45.2	50.6	53.8	153 17.25%
1400	1079 6.714%	11.9	78.3	44.4	44.8	50.0	53.1	162 15.01%
1500	1405 8.742%	16.3	112.1	43.5	43.9	49.3	52.5	173 12.31%
1600	1163 7.237%	22.7	78.7	45.7	45.7	50.4	53.8	199 17.11%
1700	1111 6.913%	16.9	106.1	45.9	45.9	50.9	54.4	216 19.44%
1800	807 5.021%	22.9	70.4	45.5	45.7	50.0	53.7	122 15.12%
1900	582 3.621%	17.2	67.4	45.2	45.1	50.4	54.0	92 15.81%
2000	404 2.514%	27.4	87.2	46.2	45.7	51.4	55.0	86 21.29%
2100	246 1.531%	25.4	77.4	47.0	46.6	51.7	59.1	55 22.36%
2200	173 1.076%	32.1	85.8	47.2	46.3	51.8	58.9	37 21.39%
2300	104 0.647%	23.8	73.1	47.6	47.6	54.7	63.8	31 29.81%
----	16071 100 0%	11.9	112.1	44.8	45.2	50.4	54.0	2752 17.12%

Released under the Official Information and Meetings Act